

PROFITABLE PLANTER.

A Treatise

ON THE

THEORY AND PRACTICE

O.F

PLANTING

FOREST TREES,

IN

Every Description of Soil and Situation;

More particularly on

ELEVATED SITES, BARREN HEATHS, ROCKY SOILS, &c.

Including Directions for

The PLANTING and MANAGEMENT of

Permanent Screens;

WITH DISERUL HINTS ON

SHELTER AND ORNAMENT.

->>@4

SECOND EDITION, ENLARGED.

BY W. PONTEY,

ORNAMENTAL GARDENER,

AUTHOR OF THE FOREST PRUNER, AND PLANTER AND FOREST PRUNER TG
THE LATE AND PRESENT DUKE OF BEDFORD.

HUDDERSFIELD:

PRINTED for the AUTHOR, by T. SMART;

AND SOLD BY J. HARDING, 36, ST. JAMES'S-STREET;
J. WHITE, FLEET-STREET; & J. MAWMAN POULTRY, LONDON.

1808.

Digitized by the Internet Archive in 2009 with funding from NCSU Libraries

ADVERTISEMENT

TO THE FIRST EDITION.

THOUGH the writer of the following pages has, for feveral years, had confiderable practice, as a contract planter, he means not to attach more importance to it than that of being enabled, by industry and observation, to ascertain principles, which he was previously perfuaded were founded in reason and nature; nor does he pretend to any superior share of abilities; but, attached to the interests of planting, (much more from choice than necessity,) he has, from early life, when viewing the works of others, not contented himself with feeing that they were successful or otherwise, but has reasoned and inquired, in order to difcover why they were fo; and he now presents a part of the refult, for the decision (and, he hopes, the benefit) of an impartial public.

on author planting, also little "Planting" in Dichionan of

The following are felected from many other

Testimonies, in Favour of the first Edition.

- "We recommend the Observations of Mr. Pontey to the Notice of all Persons, who may be in Situations where they can apply them." British Critic, July, 1801.
- "The Directions for the Management of Plantations display great Judgement, and are apparently the Production of extensive Experience; while the Arrangement of these ornamental Additions to a House, in a picturesque View, merit the Attention of the Builder."

 Critical Review, June, 1800.
- "Pontey, a profeffional, and apparently a competent Judge, afferts that our own is equal, or rather of the fame Quality as Forcign Deal."

 Modern Land Stewa. 1, p. 345.
- "The Author feems a Patriot not folicitions about his individual Profit, as a contract Planter, but this Treatife will recommend him to all who meditate extensive Plantations."

Agricultural Magazine, August, 1800.

"A Pamphlet has lately been published, entitled, a Treatise on the Cultivation of the Larch and Scotch Fir Timber, &c. by Mr. Pontey, octavo, which places the advantages attending the culture of this rec. (the Larch) in a strong point of View. And which I recommend to the Perusal of those who wish for further information on this subject." Lambert's Description of the Genus Pinus, 1803.

0

ADVERTISEMENT

TO THE SECOND EDITION.

As this fecond edition of a work, originally very finall, has been long promifed, but much longer called for, it may be necessary to flate fome reafons for delay:—The very favourable reception of the first edition, naturally put the author upon endeavouring to make a fecond more worthy of fuch notice, by extending the defign to the planting and management of Foreft Trees in general. In purfuance of which it occurred, that the latter fubject was much more imperfectly underftood than the former; and hence the propriety of a work devoted entirely to that object. Under this impression. the whole of his leifure was, for a confiderable period, devoted to the composition of the "Forest Pruner," which was published in December, 1805; a fecond edition of which has just made its appearance. Since the above cause of delay, many others have occurred, chiefly of a professional nature; for he could not confider the want of time, a fufficient apology for fending that into the world, of which he might afterwards be afhamed.

It will be observed, that though the present is called a *fecond edition*, it may be considered as nearly a *new work*; the former being chiefly devoted to the cultivation of Larch, and Scotch Fir; and hence, though most of the fentiments are retained, a regard to method, has rendered it necessary to write most of the work anew.

By adopting the method of treating the different parts of the fubjects feparately, much of the confusion and repetition, common in books on planting, and gardening, are avoided, and the work, of courfe, much fhortened:—a matter calculated, at least, to accommodate the reader. One of the easiest tasks, that falls to the lot of an author, is that of enlarging on subjects generally known; but this very convenient circumstance the author has declined, from a full conviction, that, on a subject which affords so little entertainment, the book which contains the most information, in the least compass, will be the most read, and, of course, be found most generally useful.

As the method of moving plants fomewhat large, or of planting fingle trees, belongs exclu-

fively to the business of ornamental gardening, Movin and as the author has some intention of making large Il that delightful science the subject of a future ef-freegen fort, it is here omitted. If he should be found qualified to trace its principles to their true fource, fo far as to furnish rules for its practice, he will have produced what may be called a chart, equally calculated to direct the employer and the employed. The truth is, that fo long as pleafurable and difgufting fcenes remain different, both in their nature and effects, fo long will the principles of this art remain flationary and capable of demonstration. That others should hold a different doctrine, he does not wonder; change of tafte is a convenient apology for perpetual alterations and abfurdities. But if tafte is really founded in reason and nature, it will, in a great measure, be found permanent, and must necessarily command general assent. It is, in fhort, a tafte fo founded, with a corresponding practice, that the author means to explain and defend should be undertake such a work.

To perfons, who only write to ferve the little interests of felf, the day of publication is naturally a day of anxiety;—the author, however, has no fuch fears; for fince the fame means which, in former instances, procured him public approbation, have been used in the present, he has no doubt of experiencing similar support.

ADDRESS

->>644-

It is known, that the united efforts of a few will frequently effeet what may be impossible to an individual. Under this idea, the reflect propriety of inviting the affiltance of persons of industry and observation, has long fuggefied infelf, as likely to be of effential fervice, tion, has long tuggetted inten, as most of those species of British Timber, in investigating the properties of those species of British Timber, Willows. which are not in general ufe; fuch as the Firs, Poplars, and Willows. Undoubtedly, the value of any article depends much upon a knowledge of its proper application, or, in other words, of the uses it is fit for; and certainly no one can affert, with truth, that we have more than very limited and vague ideas of the proper uses of such timber. We know, that most of them may be grown very rapidly, some of them on foils of very trifling value, and others in a way fo as to detriment the lands or herbage very little: We know, in fhort, how to cultivate the whole, with abundant fuccess; still we can never make the proper use of this knowledge, until better instructed in the matter of u/c, Undoubtedly, different persons are in possesfion of facts, that would greatly affill, in elucidating the fubject, if we had the means of collecting them. And it may also be observed, that facts, from different quarters, must produce more conviction than what is furnished by one, however resp. Etable. I cannot suppole any person, policiling such afeful information, could wish to withhold it; and, therefore, beg leave to folicit fuch communications as may tend to flow, for what purpofes these species of timber are proper, or the reverse. These communications, or, at the least, their fubflance, it is intended to print feparately, by way of appendix to this work, to foon as a quantity is collected, that shall be deemed of infficient importance, for that purpole .- They will appear either with the writer's fignature, or otherwife, as may be most agreeable to himfelf. On fuch a fullgest it is almost unnecessary to tay, that *** no anonymens communication can be noticed. The communications may either be addiched, by letter, to the author, at Huddersfield, Yorkhire, of left at Mr. Harding's, Bookfeller, St. James's Street, London.

Preparation of Soil 16. 19. 122-10/63.

Quitames profes 163.

Liger of helest 169 to 174.

Methors of planting 174 to 100

Missellaneous observations 100 to the end.

THE

Profitable Planter.

AMONG the different objects of improvement, which present themselves to the attention of persons of landed property, that of Planting will always hold a distinguished rank:—probably, if it were inquired, on which of them a person, fo situated, could expend a portion of his disposable income to the greatest advantage, the decision, in at least eight cases in ten, would be in favour of Planting.—Indeed, the matter comes recommended by so many considerations, that it is somewhat difficult to conceive how

any one, in affluent circumstances, can excuse himself in the total neglect of it.

In addressing these, I may, for the prefent, omit the arguments usually adduced upon such occasions, as motives for Planting, (as part of them will be attended to in the sequel,) and content myself with mentioning, how well this pursuit is calculated to gratify one of the most predominant and useful passions implanted in the human breast, namely, a love of posthumous same:

- " For who, to dumb Forgetfulness a prey,
- "This pleafing anxious being e'er refign'd,
- " Left the warm precincts of the cheerful day,
- " Nor cast one longing, ling'ring look behind?"

Most certainly there are few who do not feel an innate desire, and even an anxiety to be remembered, by posterity with gratitude:—but, to be so remembered as a public character, can fall to the lot of only a few;—nor, in many instances, will

which adorn a private flation, even among the higher ranks of fociety, long furvive, except fome honourable and vifible memorial be left behind;—and what is there that can fo cheaply, fuddenly, and certainly effect the purpose as Planting? This, at least, is obvious,—whoever plants to a confiderable extent, becomes a benefactor to his own posterity and the public; and, therefore, while his work remains, the man will not be forgotten.

The park at Castle-Howard furnishes a very striking proof of the influence of the passion alluded to.—On one side of a losty and noble pillar, erected to the memory of the Duke of Marlborough's victories, is the following:

"Charles 3rd Earl of Carlifle, of the family of the Howards, erected a Castle where the old Castle of Hinderskelf

- "flood and called it Caftle Howard.—He "likewife made the Plantations in this "Park, and all the Outworks, Monu-"ments, and other Plantations belonging
- "to the faid Seat.—He began these
- "Works in the Year 1702, and fet up this Infcription Anno Domini 1731.
 - " If to Perfection these PLANTATIONS rife,
 - " If they agreeably my Heirs surprise,
 - " This faithful Pillar will their Age declare,
 - " As long as Time these Characters shall spare.
 - "Here then, with kind Remembrance, read his Name,
 - " Who, for POSTERITY, perform'd the fame."

It is impossible to read the above, and contemplate the objects around it, without rendering to the memory of that truly great man abundantly more than he has claimed.—It is, indeed, worthy of notice, that after building what, in compliment to antiquity, he called a castle, (but which may more properly be denominated a palace,) with numerous appendages, in a style of grandeur which has seldom

been equalled, (never, perhaps, furpaffed in this ifland,) he feems to have expected more credit from his exertions as a Planter than a Builder;—though no one can fuppose the expence upon the former to have amounted to one twentieth part of that upon the latter.

There is, undoubtedly, a great deal more in this inscription than barely meets the eye;—for does it not operate as a standing reproach, to every son and daughter of affluence, who, regardless of posterity, "like some poor player, fret and strut "their hour upon the stage, and then are feen no more;"—while, to those of an opposite description, it whispers this salutary lesson, "Go thou, and do likewise."

It is among the advantages which the modern has over ancient practice, that what was once confidered as a great undertaking becomes now a mere trifle.—

From the best observations I have been enabled to make, there seems no doubt but the expence which would have planted five acres sixty years back, would now plant twenty, provided the business be managed upon a frugal system;—and, therefore, if we state the matter as it assects a person of landed property, we shall find one great reason why so little of it was done.

If the rental of land have been doubled within the time mentioned, and an acre would then coft, in planting, four times as much as now, a gentleman must then have devoted the rents of eight times as much land to plant an acre, as at present; and, where the rent of land is trebled, the difference would be as twelve to one;—of course, we see such proportion holds out every facility to Planting, while the value of its produce is every where astonishingly increased.

It may here be objected, that the in- It will crease in the value of land furnishes an answer argument against planting; which is readily admitted, fo far as lands of a middle acide la value are concerned, and where shelter and ornament add nothing to value.-But are there not numerous fituations, on almost every estate, which in themselves produce but little, and mock the darings of the cautious cultivator,—which only require to be planted with judgment, to become abundantly productive in timber?—And are not the fituations likewife numerous, where planting becomes abfolutely necessary on account of its shelter?—Nor are inflances wanted where a bare, flat furface of country may be fo diversified and ornamented, by patches of planting, as to add to the real or faleable value of the property, abundantly more than the expence, befides the marketable value of the wood. The necessity for planting in the vicinity

of a family manfion will be noticed feparately.

Having mentioned fome of the inducements to plant, I may next advert to the advantages of skilful management;—for certainly it may be laid down as a rule, which admits of few exceptions, that the most skilful is the *cheapest planter*; for the following reasons:

First, Such a one will feldom err materially, in regard to the proper species to be planted on any given soil or situation.

Secondly, He cannot err in regard to the proper fize of plants.

Thirdly, He will devote fo much labour to the preparation of the foil, as the particular circumstances of the case render necessary, and no more. I.

In regard to the first, every one must Manto have observed what disappointment and he suit loss is frequently occasioned by unskilful management in that respect; and no wonder, if persons will proceed in the business without rule, (that is, by refolving to plant certain species on particular spots, without regarding whether the fituation be in all respects proper or not,) or by the advice of persons possessed of neither experience nor observation in the business.-In fact, while men of no experience consider this part of the profession as fufficiently eafy, those of a different description always consider it as less or more difficult, in proportion as the foils and fituations differ from fuch as they have been used to work upon.-If it were not a grating truth, I could produce numerous instances, where large sums have been wasted in this way, while the proprietors were unconscious that they were not proceeding by the most prudent and skilful methods.

Secondly,—in regard to the fizes of for plants: Here again the losses of planters have been great indeed. Leave an unskilful planter to himself, and he generally errs, in using plants which are too large; and, confequently, enhances the risk and expences, without at all forwarding the business; while if he proceed by imitating perfons of better skill, and plants finall ones, but neglects to attend to fuch circumftances as the probability of a rank herbage, &c. he may, by that means, have them fmothered. Indeed, it very frequently happens, that plants which prove of a proper fize in one part of a field, of a proper fize in one part of a new, ituation, ther; and, therefore, it is evident, confiderable discrimination is necessary in this refpect.

Thirdly, as to the preparation of the III. foil;—most certainly it requires a degree of skill which few ever have, or ever can, at out finds tain;—as it includes a knowledge and due confideration of very numerous circumflances, fuch as, all the various qualities and depths of foils, with the different degrees of humidity and exposure,-the proper species and fizes of plants, &c .- all of which should, in a greater or less degree, influence the matter of preparation. Undoubtedly, there are cases where ten pounds would be well expended in preparing an acre of ground for planting; but certainly the cases are abundantly more common, where one eighth part of the money may well do the business.-The difficulty rests in distinguishing, not only the difference between these extremes, but of their intermediate parts; and, therefore, on all these grounds, we may fafely conclude, the most skilful will generally prove the cheapest planter.

Confishent with what has been advanced, it is evident, that the most profitable planter is he who can manage so as to cause the land to be most productive, at the least expence.—Being well convinced that, in a great majority of cases, the liberal use of the Fir tribe is effential to the purpose, I shall now proceed to examine the opinions and prejudices which have been every where prevalent concerning them, and have hitherto, very unfortunately for the country, prevented their being so cultivated as to become generally useful, as large, substantial, and valuable timber.

The man of science, in common with the carpenter, knows the use of an oak or an ash, but, with respect to English-grown Firs, generally contents himself with the received idea, that they are of little value; and hence it is only of late that they have been extensively cultivated

for profit; - previous to which, though for much had been written, on the planting of Zis. oak, ash, &c. for timber, we were commonly taught to confider the planting of firs as principally for shelter or ornament.

Since the time that the foreign fir timber was first introduced into this country, its usefulness and consequent reputation have been constantly increasing; and hence we import, annually, immense quantities, at an enormous expence:—the facts are indisputable, though it does not admit of a doubt that the species, so highly valued, will grow extremely well here. A circumstance sufficient to induce the reflecting mind to inquire, whether it be not possible to avoid the greater part, if not the whole, of that expence, by extending and improving their Culture; and to feel aftonished, that a subject of such immense importance should have hitherto met with so little attention.

The motive for fuch inquiry will be greater, when we feriously reslect on the present scarcity, and consequent advance of price; and our ideas will probably turn to the day, not long elapsed, when Fir Timber was fold at little more than one third of what it now is. Indeed, so long as we depend upon foreign markets for a supply, it is impossible to foresee what means may be used, and what circumstances may arise, to increase such fearcity; consequently, impracticable to form any opinion of the price that may be exacted, or the inconveniences and injuries which the want of such Timber may produce.

Whoever has attentively examined the fubject; and has the interest of the nation at heart, must certainly see the necessity of thoroughly investigating, whether there be any thing, in the air or foil of our country, to prevent the growing of good sir timber.

That we have few English-grown firs English. of fufficient scantlings for the larger purpofes of building, will readily be admitted;-but whence proceeds the deficiency?-Prejudice fays, "we cannot grow "them good;" and ignorance and indolence have hitherto very generally affented to the affertion. But should it be found that fuch conclusions are contrary to truth, and that the fcarcity in question is the consequence only of erroneous notions, it will certainly be useful to expose them, to trace their causes and effects, and to furnish those observations which experience has fuggested; for theories, however plaufible, are by no means the guide, a prudent man ought to follow, in the science of planting and growing timber; because, while satisfied with commonly received opinions, though it is probable we may be right, there is a chance of our being wrong; and he is a very inattentive observer, who, acting as a planhad not usually taken their ideas upon trust, the business must, long ago, have been reduced to somewhat of certainty.

They would have found out, not only what firs grow best in particular soils and situations, but the specific forts which thrive in most of them; and, moreover, would clearly have ascertained the properties of the timber of all, or at least of so many of them as would thrive on bleak and barren ones, and, therefore, likely to be most prositable. But, unfortunately, instead of having got thus far on the road of knowledge, very sew have yet made any progress; and, what is worse, many see not yet the necessity of such a journey.—In short, they have no idea of reaping any advantage from it*; why,

^{*} The author has very great pleasure in observing, that such inattention, which might be considered as

therefore, should they labour for that english which cannot profit?

Of the truth of these remarks we have ample proof; for the planters of the last age generally used Scotch Firs only, in a manner that leaves us at a lofs to difcover what end they had in view, unless it was the rehearfal of their own funerals: certainly, if their object was use, shelter, or ornament, they in a great measure mistook the means.

That the planters of the present age greatly furpass those of the last, is acknowledged; as they generally use so much of variety on every foil, that, enough of the proper forts may ultimately

highly diffraceful, is now, in some measure, done away: as planting of Firs, with the direct idea of profit, is practifed to an extent hitherto unprecedented; of course every species of information, tending either to facilitate or elucidate the business, must be highly acceptable. riety affords no proof of skill, but the contrary; as is abundantly shown by the methods most frequently adopted in thinning; the most valuable being usually cut down, to make room for the most worthless.

The reader will observe, that, by the most valuable, I mean such as would be worth the most money in a given time, (suppose thirty years;) and by the most worthless, such as would produce the least in the same period:—quantity and quality being out of the question, except as they affect the price.

I would premife further, that, confiftent with the preceding, I pay no regard to established opinions; for, should I find even the oak and ash mixed with larch, Scotch and spruce fir, and the former making but little progress, while

the latter were flourishing, I should not be hesitate to call them inferior;—nay, were both in a thriving state, yet, if it seemed next to certainty that the former would not setch ten pounds, when the latter would be worth twenty, I should treat them only as objects of secondary importance.

If the foregoing be the only true method of estimating the value of trees planted for profit, it is evident that the modern planters, with every few exceptions, have acted upon mistaken principles, and must continue to do so, till better acquainted with the qualities of larch, Scotch, and spruce fir timber.

Undoubtedly, till a very late period, English firs have been considered as of little value, except for shelter and ornament; and hence the undishinguishing havock to which they have been subjected: when we consider that not a few writers, who have undertaken to direct the current of public opinion, represent them (in addition to the above purposes,) as best of all calculated for the honourable and permanent situation of Nurses.

Seeing then the consequences to which such opinions directly lead, and being perfectly convinced they are equally unfounded and detrimental, it may be useful to advert, shortly, to the leading causes from which they seem to have obtained currency;—and especially so, as most workmen are so completely prejudiced as to be unwilling to give the article a fair trial.

To meet fuch ideas, however, we may confider that, for many years, the Scotch firs were the only species commonly planted; and these at very considerable distances; in consequence of which, they would very large; and hence the timber, upon being cut up, is uniformly found fo full of Knots, as to be disqualified for most purposes to which foreign fir has been usually applied, and therefore the article deservedly fell into disrepute.

When the above truly barbarous taste subsided, we find the Scotch firs again exhibited alone, either in masses or small clumps; where each plant, having less space, would grow much less knotty than before; and hence a temptation to use such as were thinned out while young, for numerous purposes.—But here unfortunately it seems to have been overlooked, that this fir, in a sheltered situation, grows very quickly for many years; and never acquires much of density in an early stage of growth.—most certainly neither of the descriptions adduced were sit to be put in competition with

Foreign Deal; and yet it may fafely be afferted, that a large proportion of the latter description, with a very small one of the former, composed at least nine-tenths of the documents upon which public opinion was formed, previous to the last six or seven years.

Good fometimes arises out of evil, and fo it has happened here; for the extravagant price of foreign fir has of late induced many people to make trial of some of the best trees in their possession, of different forts; and the result has been so far favourable as to occasion much of the extraordinary increase in planting which has been noticed.

In the business of investigating the natural properties of Firs, (to which a confiderable degree of my attention has been devoted for several years,) it has afforded fingular satisfaction to find them uni-

formly superior to what previous prejudices had taught me to expect. In truth, after a careful examination of every specimen that has fallen in my way, up to the present period, (January, 1807,) I can fasely affirm, that I have discovered no natural defect, which will, ultimately, disqualify any of the species, commonly cultivated, from being used, either generally or partially, as a substitute for the foreign.

It is true that, with respect to the Scotch and Silver Firs and the Weymouth Pine, the young quick-grown wood is somewhat soft or spongy; but does not something like this prevail in several parts of both the vegetable and animal creation, without at all impeaching the strength or value of the matured subjects of either? Certainly, in regard to the firs in question, every observation has shown that the Timber improves with age, probably in

creases after a certain period.

Observe, it is not said that even such young timber would not be durable if properly seasoned, and used where constantly dry; as I conceive these points are by no means ascertained:—but were such the case, we have others, namely, the Larch and Spruce Fir, which, if properly managed, may safely be depended upon, as durable, in every period of their growth; whether exposed or otherwise; and, therefore, no question or doubt needs be entertained, as to their liberal use for every purpose, where they can be procured large enough.

It has fortunately happened that, in the course of the last five or fix years, the Larch has got into considerable repute; as wherever a quantity of it is to be sold, from the fize of a common rail upwards,

c 12 8

it never fails to command purchasers, at English a good price. This may be considered as one of the cases where general opinion can scarcely be supposed to err; because it has been corrected by experience.

Formerly, no distinctions used to be made;—English Fir, was the general name for the whole species; and the idea it conveyed was that collected from the use of Scotch Firs only. Now, almost every purchaser has some idea of distinctions; which could only arise from some evidence of difference in value:—In short, almost every one gives the Larch a decided preference over them all, though, perhaps, sew persons have more than very consused ideas of its specific properties.

We need not here adopt the stale method of extolling the Larch upon the credit of antient authors, who seem to have imitated each other, in detailing circumfances too furprifing for readers of common understandings to believe; especially as some of their statements have been found completely erroneous *; but we may say, that experience has warranted an opinion, that the Larch is equal to the Foreign, for all the general purposes to which that article is usually applied, and superior to it for many others, among which are the following:

First, It may be grown abundantly clearer of knots, provided some little attention be paid to pruning it. Every one knows that the Knots in Foreign Timber affect its value, exactly in proportion as they prevail in number and size; as both

^{*} Many old books tell us, that the Larch will not burn, which is false: for though it does not burn so freely as other Firs, it burns quick enough to be ranked among the best sorts of wood suel; and hence, where such is used, the saggots are much esteemed, as being a good and durable article.

have a tendency to affect its strength and are tappearance.

Secondly, It is much tougher;—a circumftance which, connected with its durability, will fit it for numerous purpofes, in boards of the least possible thickness.— Three eighths of Larch must, in almost any case, be superior to half an inch of Foreign Deal.

Thirdly, Supposing it once well feafoned, it is afterwards much less liable to shrink.

Fourthly, It may be fpeedily feafoned, at any time of the year, as it admits of a very confiderable degree of heat, without endangering its cracking.

Fifthly, It is much superior in colour; as the application of raw linseed oil only, turns it to a beautiful nut-brown.

The general receipt for Maining lands of space, colour.

It likewise admits of being stained to refemble mahogany; and takes a polish equal to box, holly, or even satin wood; so that it is proper for numerous articles of useful and ornamental surniture, to which the foreign deal is persectly inapplicable.

Sixthly, It is again fuperior, as it is proper for posts to put into the ground. In this case, however, it is to be noted, that only young trees, of a proper size, should be used: and the part intended to stand in the earth should have the whole of the bark left upon it,

Seventhly, It is clearly fuperior in the important point of durability, when exposed to the weather,

Probably the shortest and clearest way of proving the point is, by referring the reader to the consideration of the rotten Knots so frequently found in Red Deal;

an article which is univerfally allowed to > 22. be fuperior to the White, when exposed in boards to the influence of the atmosphere. These knots are certainly the remains of branches, which rotted while they still hung upon the trees:-but nothing like this is ever found in a Larch board, or on a tree; though we are fure the latter has been subjected to exposure as well as the former .- To this fact (in its own nature more convincing than affertion from any quarter,) I will only add, that every observation I have made has tended to impress the same idea as is usually entertained of the heart of oak. We know that it must decay at some period, though we have no certain method by which to guess-when*.

^{*} Snch persons as feel particularly interested in understanding the properties of Larch, may find the subject discussed, considerably more at large, (with an account of some experiments,) in *The Forest Pruner*, p. 79.—107.

The Spruce Fir being confidered as next in value to the Larch, naturally calls for the next attention. Perhaps we may lay it down as a maxim, in regard to trees generally, that the utmost attention should be paid to ascertaining the properties of such as are found to grow freely in a great variety of soils and situations; because these circumstances hold out an almost irresistible inducement for persons to plant them freely; and hence, though in general good is done, in some cases considerable damage may ensue.

The case of the Spruce Fir particularily calls for such attention, as it grows rapidly on almost every description of soil, from a very stiff loam, and such as possess a considerable degree of humidity, to a very dry sand; provided the situation be not very much exposed.—It will readily be admitted, that the tree is exceedingly ornamental; but, with regard to the pro-

perties of its timber, very little appears of prices: to be known with certainty.

As to myself, I readily consess that, till a late period, I did not discover in it any striking proofs of superiority; and hence, upon former occasions, I passed it over somewhat slightly;—now, however, the case is different, and, therefore, I take the earliest opportunity of giving my reasons for such change in opinion.

In observing the state of this fir, in plantations where the trees formerly grew thickly, and never were pruned, it appeared a very striking circumstance, that branches which had evidently been dead many years, (some of them probably more than twenty,) were found, uniformly, not only found but tough;—a convincing proof of DURABILITY. Still I believe this circumstance, which, properly improved, ought and would have established

its reputation and use, has operated directly to the contrary; because wherever the trees fland fo thin as that their lower branches can grow to a confiderable fize, these continuing attached to the stems for many years, (whether living or dead,) must inevitably cause them to grow extremely knotty, and hence to be rejected for general purpofes.——Indeed, we cannot wonder if workmen use their utmost influence in depreciating an article fo extremely difficult to work, in comparison with foreign timber, and which, in addito being tedious, not unfrequently damages their tools; all which would be completely avoided by means of pruning.

It is now more than twelve months fince my attention was particularly attracted to the fubject, as above; during which time many observations have been made; all of which tended, directly or indirectly to confirm my opinion of its

durability, whether used in exposures or fine otherwise; with the exception of the case of trees used whole, as rails, &c.—as in drying they never fail to crack; and hence the part is exposed to alternate drought and moisture; against which not even the heart of oak is completely proof.—As far as my observations have extended, the same remark will apply in regard to rails made of Green Whole Wood, of every description.

The specimen of Spruce Fir which accompanies this treatise, is part of a beam, that had been in a building about twenty-four years; which, on being taken out, proved as sound (the bark included) as when first made use of;—nor did its appearance leave any reason to suspect it to be less strong or durable, or at all inferior to any foreign beam whatever. Yet a point still more important remains to be noticed:—IT WAS NOT OLD WOOD,—Its

diameter being eighteen inches, under the bark, where its age was fifty years.

Here then let us paufe a moment, to confider what use prudent planters ought to make of the important fact just stated: in doing which, it will readily occur, that the matter is of too much confequence to be fully credited and acted upon, without further investigation; and, therefore, it is incumbent upon them to use every means within their power, to collect fuch facts and documents as may tend to establish or discredit it:-This is all I defire or want; for if men will only be earnest in this fort of investigation, no further arguments will be necessary from me, to induce them either to plant, prune, or preferve the Spruce Fir.

But there is another point of view, in which the article is extremely valuable; namely, as being (all circumflances confi-

dered) the best plant we have for the gene- . The zero ral purposes of shelter; as it grows close, and, in proper fituations, very quickly. The desired for the state of Where it has free space, it retains its lower branches alive to the ground, to the utmost period of its existence; so that we can eafily avail ourfelves of its shelter to any moderate extent. This tree naturally forms itself into a narrow cone; its breadth, however, may be eafily increafed, by cutting off its head; or readily reduced, by pruning, without materially injuring its foliage: - Indeed, its form is fo much subject to management, that I have feen it shorn, so as to form an excellent sheltering hedge.

Of the innumerable cases in which this tree may be useful, as a shelter, it is neither possible nor necessary to speak here; but I should consider myself inexcusable in omitting to notice one, in which it is qualified to be most effentially ferviceable; as it materially concerns a description of persons who are particularly entitled to attention and respect,—I mean the planters of oaks.

Planting of firs among oaks, as well as other deciduous trees, in order to shelter and draw, or perhaps, more properly, to force them up, has long been practifed; yet, I conceive, it has been little confidered how far the Spruce is superior to the Scotch Fir for general purposes. The point, however, appears felf evident, from what has been advanced, with the additional circumstance, that the former will retain its lower foliage, in less than half the space which the latter would require; and, therefore, that part of its shelter cannot be lafting, except we are willing to facrifice much space, and content to grow it as faggot wood only; -while, as to the other, the space required would be very moderate, the shelter complete and durable, and the wood, ultimately, of confi- France devable value.

Where the air has fomewhat free scope round an oak, it produces numerous side branches; some of which swell, so as to rival the principal leader,—which a complete shelter is directly calculated to prevent; as a branch never either swells or shoots freely if it do not point into an open space. In the growing season, every tree becomes a traveller, in search of air and light; and, therefore, they never tower so rapidly as when they have the most of both above them.

But there is another confideration, which of itself ought completely to influence the choice of trees planted for Nurses. The very name conveys the idea that they are to be displaced, at no distant period; and, therefore, common sense seems to distate that, in every possible case, they

fhould be of fuch forts as are most of all valuable at an early stage of growth; prolimited perties which are common to the Larch
accordand Spruce Fir; and, therefore, they
should be preferred in that department,
wherever the soil and situation proves
suitable.

Certainly when an oak planter (confitently with the last hint) makes use of such Nurses, he goes far to obviate any possible risk; for should the oaks not grow to expectation, it is highly probable one or both of the others might answer, or even exceed it; and thus a crop of excellent timber would be secured.

I know only one objection that can be fairly urged against the general and liberal use of Spruce Firs, as Nurses and Principals, which is—their price. Hitherto they have been usually considered as more ornamental than useful; and

hence, while the confumption has been Thruce fmall, the price in nurferies has been kept rather high. -- It may feem a paradox, but still it is a fact, that, as the demand for any species of forest trees increases, the price decreases, till it becomes very moderate:-nor is the trade any lofer by it; as an increased demand, frequently aided by an improved mode of culture, seldom fails to more than cover the difference.

Confidering what has been advanced, with no in regard to the properties of the Spruce flowh, Fir, it is prefumed, that little doubt can be delle fire entertained of the propriety of prefering nulling it to the Scotch, on every foil and fitua- but he tion equally proper for both: a case very free, Rie. common, though by no means universal. Physical The leading exceptions, which I have obferved, are a black fandy and moorish soil, that naturally produces nothing but heath, and very bleak exposures. On the for-

to keep them alive; in the latter they grow better, but too flowly to render it defirable to plant them. As the first fort of exception is, in a confiderable degree, applicable to the Larch, and the latter to trees in general, it has long been an object of much folicitude with myself, to find means to reduce them within the least possible limits; the result of which will be seen when we come to treat distinctly of the Methods of Planting and obtaining Shelter.

or can be done, in regard to the circumflances just mentioned, numerous and extensive tracts will remain, upon which the Scotch Firs ought to predominate, I shall next proceed to notice its properties.

> Writers in general feem agreed, that this tree is of the same species as that from

celon which we have the foreign Red Deal; - Scotch and, if fuch be the fact, little doubt need be entertained of its latent good qualities; notwithstanding the difgrace under which it labours: - and as to the matter of affinity, I see no reason to doubt it; the order in which the knots are placed, their liability to rot, and the testimony of individuals who have vifited the countries from which we import that article, all feem to tend to establish the point. Still the one is usually found of a much finer grain, and much heavier and stronger than the other; -- which is clearly imputable to its being grown in a colder atmosphere, and, confequently, much flower than ours. The real difference, however, is only in appearance, when two old fubjects happen to be contrasted; as then the question of weight and strength depends more upon the part of the trees from which the fpecimens are taken, than the country from which they come.

dance of the article, upon almost every description of soils, which are nearly or almost altogether unproductive; and if it be clearly ascertained, that knottiness and want of density are the only defects of the article; it must likewise be true, that, discovering the means of preventing them, becomes not only an individual but a national concern.—It may be easy, in some cases, for an author to detect error, but it is indeed herculean labour to induce the bulk of mankind to adopt its opposite.

It has already been intimated, that the knottiness of fir timber, generally, would easily be prevented by a good method of pruning;—(for proof of which, the reader is referred to *The Forest Pruner*;)—and, therefore, it remains only to be considered, how far the want of density is curable by any means short of age; for that is evidently its most natural one.

Probably we may here gather a useful feeded. hint, from what is said to be the practice in Russia and Sweden, namely, the disbarking of the stems of the firs, to the length of two or three seet, at least a year before they are intended to be taken down; which disbarking and falling is done only in winter; a practice which could not have generally prevailed, on any grounds short of admitted utility.

If we could show clearly in which way such method operated, a very important point would be gained; but as that seems color impossible, I shall dismiss it with just observing, that if it could be found that, under such operation, the last efforts of lingering life would be spent in expelling the watery matter, or in expending it to support the foliage, and substituting rosin in its place, we should then have sufficient data on which to found a system for the

that improvement of every species of young fir timber.

We certainly fhall foon have a large fupply of this description; and, therefore, the fludy of its improvement and properties becomes matter of more than common interest. Experiments, to elucidate this important point, should be made, again and again, by perfons who have means and leifure, on free-growing trees of different ages.—From what I have observed, of the fuperior quality of the wood of young ones, which have been, for fome time, stinted in growth, (in confequence of fudden expofure, or being overhung by others,) I have great reason to suspect, that cutting off nearly the whole of the branches, two years before the period of taking down, would go far to effect the needed improvement; as, after the operation, they would grow very flowly.—Observe, this being an extreme case, the branches should be taken

off not less than fix inches from the stem, Situation to prevent bleeding.

It may here be observed, as a general remark, that though building timber is usually cut from large fir wood, (such being nearly as cheap as the fmall,) still but little of it is used in large scantlings; and, therefore, it is evident, that by much the greater part of a modern building may be done with fmall ones; and hence native produce might be liberally made use of in them, at a much earlier period than is generally imagined. Great strength can be required only in a few cases, easily provided for; Durability becomes effential in all: and, therefore, we may state it as a question, well worthy of general discusfion:-Under what circumstances may the durability of British-grown Fir Timber be fafely depended upon?

I need not dwell long on the facility with which the Scotch Fir accommodates itself to almost every description of soil and fituation.-It may, indeed, be called "The Planter's Forlorn Hope;" as where it fails, the case is truly desperate. For instance:—it is planted with success, on the most barren commons, where no other tree or plant (the Heath excepted) will grow. On fcites which are elevated, and exposed to particular currents of wind, it often proves the only tree that can be got up, except so far as others may rise under its shelter. In the sea breeze too, it is frequently observed that, while every plant around it bends from the blaft, as if feeking protection, this holds its head erect, and bids defiance to the noxious gale.

> It is not faid, however, that, in any of these cases, the trees grow uniformly as quick as under more savourable circumstances: still it is truly wonderful to ob

ferve the quickness of their progress, after a later they have got sufficiently established in the ground, and are large enough to shelter each other.—Why they do so on a least barren heathy soil, it is not easy to conceive; all we know with certainty is, that this tree will not only live but thrive, where most others would do neither.

In the case of exposures, where the soil is tolerable, the reasons for such thriving are somewhat obvious. The plant is not only extremely hardy, by nature, but its shoot and leaf (spine) are shiff; and hence neither can be much subject to damage from violent winds;—still, in such cases, it never grows rapidly till each plant, by contributing a part to the general stock of shelter, resists the winds and improves the atmosphere; and hence their accelerated growth.—It is admitted, that such shelter could not be lasting; but it would afford the means of rearing a durable one,

Fir.

confishing of every thing proper for the purpose. And thus, by the use of this degraded plant, we see the easy means of doing what would be otherwise impossible, namely, rearing a Crop of Timber, of any description proper for the soil, in elevations which, naturally, would grow such trees no better than bushes. The value of such shelters, as they affect the surrounding lands, will be attended to under a separate head.

Clear ideas of what will grow and thrive upon the fituations just mentioned, are effentially necessary to almost every one who plants upon a large scale; and, therefore, an author, who can distinguish between truth and error, would ill discharge his duty if he did not, to the utmost of his power, enforce the one and oppose the other.——In a modern book on planting, now in many hands, we have the following, "The native Pine (Scotch

"Fir) has long been planted as a nurse, Annual with the practice is now much relinquish. The large of ed. Nor is it founded in reason; since grow on there is no foil or situation in which the Larch and Mountain Ash will not far surpass it in growth, while young."

Observe the latitude of the passage,-" No foil or fituation," &c .- Still I will venture to affirm, that whoever should Notes plant any of the heathy parts of the chain heathy of hills which separates Yorkshire from Lancashire, Cheshire, and Derbyshire, in the manner implied as above, would find, to his cost, that this "Practical Planter" had reckoned without his hoft: as neither his nurses nor his nurslings would grow, except fo far as the Larch might happen to penetrate into the under stratum (a fort of reddish fand, full of loose stones;) where, if the situation were not much exposed, it might make tolerable progress; but certainly not otherwise.

What I have just advanced stands upon very different grounds from either mere theory, or flight, or recent practice; for I have been annually employed in planting upon the faid hills for, at least, fixteen years; during which, no inftance has occurred of the Larch doing more upon the heathy foil than just growing enough to keep alive, till it penetrated the under stratum. And though experiments have been repeatedly made, by planting the oak, ash, fycamore, and birch, (most of which produced a few leaves the first season,) the plants have all died; except a few (probably not more than one in a hundred) of the latter; and their progrefs has been very flow.

But, again:—It will fearcely be doubted, but a great proportion of the heathy foils in the country are fimilar, both in appearance and composition, to the foregoing; and, therefore, we may conclude,

that, fo long as like causes produce the Hearting fame effects, they alone will not produce Soils. deciduous trees: - indeed, the heathy foils about Woburn strongly confirm the fact; for there great quantities of fuch trees, of almost every description, had been planted, (the Mountain Ash included,) previous to my engagement; of which, none have grown except fo far as they have penetrated into the under flratum, where the heathy foil happened to be thin; and, among them, the Larch has succeeded best. Many of these, however, have remained completely covered with moss, and nearly flationary, for many years; yet most of them have, at length, recovered gradually; which could only happen in confequence of their roots getting into the under stratum:—for fuch as were planted in pits, or broken ground, grew well from the first,

But enough of heathy foils;—let us see if, haply, our author has been more

correct in regard to exposed and elevated feites; where, of course, the most perfect the felter is absolutely necessary.

Here we may ask any one accustomed to observations on such subjects, if he ever remarked the Larch to be as little affected by the winds as the Scotch Fir, on fuch fituations?—And again, Do not deciduous trees constantly extend their branches horizontally, fo as readily to intermix with each other?—but they cannot do fo with the Firs; as there is little of either light or air in their interior; and, therefore, when mixed with them, fuch can only shoot freely upwards. Besides, the Larch, for feveral feet from its top downwards, has a very light spiral head; of courfe, there its shelter bears no comparison to the Scotch Fir, at any season.

The abfurdity of planting the Mountain Ash, as a shelter, will be evident, by

considering, that if it grow fast it produces but very sew branches; and if it grow slowly, so as to produce more, it will be too low to afford protection. At best four of this plant would not shelter near so much as one Scotch Fir; and, what is worse, sour of the former would cost more than eight of the latter; and, after all this extra expence, we should neither have a tolerable shelter, nor (if our author is to be credited,) a timber tree of value. He says, in describing its properties, "As a "timber tree, however, it is of little use; being only valued by the wheel-wrights, to which they prefer Birch and Beech."

Prefuming that the ufeful inferences from the foregoing cannot escape the attentive reader, I shall close my observations on the properties of the Scotch Fir with remarking, that heathy soils and elevated situations compose, jointly, at least half the land likely to be planted for pro-

definition this country; and, therefore, confiline may dering that, in addition to its other propercent additions, it is the only plant which will thrive the first on the one, and the best primary shelter is after on the other, it must always be regarded as one of most extensive usefulness*.

* The following is a striking, though by no means outed a solitary, instance of prejudice, in regard to Scotch

A gentleman, who had a quantity of large trees on fale, brought me a fample; observing, that "it "fetched only a very low price." As the timber feemed in every respect good, except being somewhat knotty, in consequence of having been grown in the manner noticed at p. 28, it feemed evident to me, that neither the fellers nor buyers had more than very inadequate ideas of its value. -- In order to try this point, in regard to the former, I had a conversation with the person employed to fell it, in company with the owner, on the properties of the Fir wood produced on that estate; when he expressed his decided opinion, that " the Scotch Fir wood was very indifferent in quality." However, on producing the above-mentioned fample, he (not knowing where it had been grown) declared it to possess " all the natural properties of Capital TimIt would be thought somewhat foreign to the present subject to enlarge on the properties of the other firs, commonly cultivated as plants which are more ornamental than useful; such as the American spruce, Silver Fir, Weymouth Pine, Pineaster, &c. as all of them are dear, some tender, and others apt to fail on being removed;—still, as they are highly ornamental in proper situations, and as every plant which is so adds something to the real or marketable value of a place, they clearly belong to the subject, and will continue to do so, as long as taste and nature shall equally contribute to the

rather as saving in centra.

. .

[&]quot;ber; and that he had great doubts if any foil in this "country would produce its equal."——This was the more remarkable, as he was then in the daily habit of fuperintending the fawyers, who were cutting up trees of the fame age, and grown on the fame fpot of ground; many of which, being fmaller in fcantling, were, of courfe, finer in grain, and more dense than the fample produced.

formation of ornamental gardens. Of the properties of their timber, however, I have little to remark, except that, in every case, its density seems to increase with age; and if, as we have abundant reason to believe, the durability of fir wood depends principally upon the resinous matter found in it, there is no doubt but all of them might be used for numerous building purposes, after having attained a reasonable age.

In a book professing to develope the principles of profitable planting, there seems much propriety in particularly noticing such trees as are in themselves highly valuable, but which, from different causes, are either not generally known, or not in merited reputation. The species now alluded to are—the Witch Elm, the Huntingdon Willow, the Upland Willow, the Black Italian Poplar, and the Hoary Leaved Poplar or Abele.

First, The Witch or Scotch Elm—This tree is well known in some parts of the country, where it grows spontaneously; though but little in others, where it does not;—as planters have generally considered it either as an inferior article, or as one likely to do mischief in plantations, from its quick and straggling manner of growth: nor do they seem to have at all considered, that if not the first in point of hardihood, it certainly is one of the second; and the same may be said in regard to the variety of the soils in which it grows freely.

The western part of the west-riding of Yorkshire is rather proverbial, for the coldness of its atmosphere, while much of its soil is retentive and thin, upon a clay bottom. On these, where the appearance of most other trees proclaims the want of proper accommodation, the Certainly on every fituation and foil, not peculiarly bleak or fteril, it is a quick grower; while it would appear, that its timber is quite as good, if not better, than the other species of Elms; and, therefore, one would suppose it merited general attention.

It has happened, however, that, in addition to the awkward mode of growth already noticed, there is a very prevalent mistake concerning it, which requires to be obviated.—In the quarters where it is best known, the carpenters esteem it highly, but generally call it, the English Elm; while, in the nurseries, a very different article goes by that name; and hence, where the former is intended, the latter is commonly procured at a much superior price; and no wonder, as they are either raised from layers, (a very tedious process,) or are grafted on the Witch Elm;

The objection already flated, to planting this tree in mixed plantations, de-plante ferves attention, as there are few fitua- cline tions where it would not overtop, and a living confequently damage many other forts; of courfe, as a principal, it had best be planted alone. Yet fuch plantations would be much improved, by introducing a quantity of Spruce and Scotch Firs, with the Birch, by way of nurses; as all the four forts would do well together on a fliff and fomewhat thin foil, where many others would not .- The shelter would very much correct the propenfity of the Elms to produce flraggling branches, as well as promote their towering; befides

taking off the appearance of naked stems, and a square heavy surface; while the pruning necessary would be very trisling indeed.

In recommending this plant for an indifferent foil, it is not to be inferred that it is improper for almost every description of good ones; as perhaps few trees would so well deserve such situations, in the vicinity of places where it may be wanted for the purposes of the boat builder, cartwright, &c.

The Huntingdon or Swallow-Tail Willow.—This plant, though well known as a pollard, has been very little cultivated as a timber tree; and hence furnishes a striking instance of the supineness of mankind, in regard to the properties of many forts of wood. Every one knows the willows are quick growers; and yet it is considered as a fort of herefy to suffect that the wood

of any of them can be at all durable.— Authory There is befide an objection to this willow, inafmuch as it usually divides itself into a number of large arms, before it acquires any tolerable length of stem:—this defect, however, is to be imputed entirely to ignorance or inattention; as few trees require so little management to be made grow with a long, clean, and straight trunk.

As a pollard, this willow is, in many places, found confiderably profitable; still I do not recollect to have seen a rood of it growing as timber any where, though no doubt can be entertained of its obtaining purchasers; as, with extensive usefulness, it is also considerably durable; a property which it appears may be much augmented, by steeping some months in water, as is frequently done with oak saplings; an excellent practice, and worthy of imitation every where.

way I thought a quantity of good, deep, and fomewhat moift land, in a fituation not exposed, nor possessing any local advantages, could be turned to the greatest profit? I should say,—by planting it with some or all of the following articles, namely, the Huntingdon Willow, the Abele, and the Black Italian Poplar; as all of them succeed best in that fort of Soil, are remarkably quick growers, and would (except in the first instance,) require only

The advantage of a deep foil over fuch as are shallow, so far as regards the production of timber, are considerable, and well worth the planter's attention; though it may fairly be questioned, if more than a foot in depth effentially benefits the general purposes of agriculture:—For, first, trees generally penetrate into or make use of the whole depth; and, therefore, though

the same fort of management.

the foil nearest the surface is commonly of dearest found most fertile in timber produce, and of a despit it is admitted that the same fort of fertility which insluences the growth of grain and grass materially affects the growth of trees,—yet it is obvious the latter will thrive in solids where the former would not;—and, therefore, the quantity or depth of soils is always an important consideration; and more especially so where proper species of trees are selected to suit them; as it is difficult to describe any that are so completely steril as to be incapable of producing one or more sorts of useful timber.

Another confideration is,—on deep foils the trees cannot fail to vegetate fomewhat regularly, through the whole of their proper growing feafon; being but little affected by the droughts, which often very materially retard the growth of fuch as are planted on thin ones.—The reafons are obvious:—Roots that are near the fur-

reactive face, in a parched foil, cannot extend themfelves in fearch of the necessary food of the plant, otherwife than very flowly; and hence its increase is retarded in proportion.—But how different is the case of such as have part of their roots lower than any confiderable degree of drought can penetrate; as, at fuch feafons, the lower foil. being acted upon by the warmth and drought fo detrimental in the other case. are best qualified to affist in the business of vegetation; and, therefore, the roots in them not only materially contribute to fupport the head of the plant, but to enable the others to perform their proper functions. A healthy tree has a general circulation through every part of it; fo that if one has what may be called neceffaries, the others are never found in want. Befides all which, the furface of deep foils cannot be affected by ordinary droughts, to any confiderable depth;—as the heat and drought acting upon them

occasion their imbibing a considerable down quantity of moisture from below. In short, of and de it is among the advantages attached to plant- voil . ing trees, that, in numerous instances, they convert the useless into useful: They are, in fact, a fort of miners, who can find gold, where every other description of miners would feek for it in vain.

Two circumstances jointly hold out peculiar inducements to plant these trees in fuch places, as they not only foon grow strong enough to be in no danger of damage from cattle; but they grow fo exceedingly tall, that the land may foon be fale land returned into pasturage, and become no down less productive in grass than before, while where there is an aftonishing annual increase in the produce of timber.—Most people must have observed, how freely the grass grows under the willow pollards, which have fhort stems and spreading heads, though not more than ten or twelve feet afunder; and.

in regard to the herbage, if the trees had flems of four or five times that length, and flood fifteen or eighteen feet from each other.—Indeed, taking into account the manure, (or, at least, the rich vegetable matter, furnished by the decomposition of fallen leaves,) it feems highly probable that land, so cropped, would produce more pasturage than another part of the same field, employed for that purpose only.

Here two methods, of preparing the foil for fuch a purpose, present themselves:

The first is trenching the ground about eighteen inches, or, what is called, two spits deep; laying the sward reversed in the bottom of the trenches.—This method would certainly very much accelerate the growth of the trees, but then the expence of it would be from seven to nine pounds per acre; and that is not the only objective.

up lower than the common fertile depth, it when he would be found only in few cases in a condition to bring a crop of grain the first year, with the plants; a matter well calculated to reduce the expence of planting, &c.

For this reason, I should recommend that land, previously in grass and intended for such purposes, should be sown with oats the year preceding; and, in order to the swards being as much rotted as possible, the ploughing for that crop should be done early in winter. In the autumn following, on the ground being cleared and sufficiently moist, it should be ploughed at least twice; as deep as the plough could possibly reach, and harrowed after each operation; so that it would be sufficiently broken to receive the plants, with a crop of oats, the following spring. The latter, however, should, in the first place,

Though outs are nother preferable, it is

he ecufully reaped, not wrown. In 170 be fown and harrowed in; after which, the planting should immediately follow; as, in that case, it might be done on soils finage fo prepared, without materially injuring the grain; for, with respect to the willows, a niche, made with the fpade, would be fufficient to let in the fet; -and, as to the Abeles and Poplars, they should be of only one year's growth; and, therefore, might be planted, without moving much of the foil.

The best willow sets, for such purposes, are made from shoots of two years' growth, of not less than about three quarters, nor more than one and a half inch diameter. The length may be from ten to twelve inches; of which, not more than two are to be lest out of the ground.—

These sets should have their tops a little sloping, but the bottoms are better cut fomewhat square.—The distance between each plant should be four sees.

with be, it to plent out. The other half

The only further attention necessary, during the summer, would be to go over the willows, as soon as they had formed the grant to slip off all, except the strongest, from the each set; after which, neither they nor the poplars would require further dreffing, till both had grown two summers, from being planted; and then they would properly come under the general system recommended for the management of of plantations in The Forest Pruner.

The fence for such a purpose, being only a temporary matter, might be cheaply made by finking a ditch about half a yard, and raising a bank, about sisteen inches more. A hedge, or bearding, on the top of it, about a foot high, and placed rather projecting outwards, would complete the business. This should stand

he growth of the B. Italian Poplar, they weed not be planted closer than 6 wel from each other. - See pa. 163. fix or eight years, and be then displaced,

uturno esture

* Fully aware that the fuccess of planting speculations must be influenced by many varying circumstances, I feldom venture upon calculations; still, by reasoning from the rapid growth of the forts of trees under notice, upon every foil that is proper, we find a fort of criterion by which to form an average estimate of what may be the profit of them; before and after the first feven years from planting.-It would feem a moderate estimate to suppose that two crops of grain, from good land, previously old fward, would defray the rent and taxes for the two first years, and, also, the expence of planting and fencing; but were it to prove a few Pounds short that would not materially affect the ultimate refult. Suppose then the rent and taxes to be Three Pounds Ten Shillings annually, that, with compound interest, would in feven years amount to about Twenty-eight Pounds Ten Shillings .- To this we oppose the supposition that the plantation increases in value, Five Pounds the first year; and to increase more by Thirty Shillings the next, and fo on for fix years; at the end of feven the acre would be worth Sixty-feven Pounds Ten Shillings, a profit of about Thirty-nine Pounds

[79]

The Upland or bad twigged Willow.— Why this tree has obtained the appellation of Upland is by no means clear, but probably it has been supposed to grow better than the other Willows in fuch fituations: which feems not to be the fact, as the Huntingdon Willow grows very rapidly on

Observe, it is not faid the trees would then be worth fo much to fell, as that is by no means the proper mode of valuing a thriving plantation; the right method is to have a regard to what may be their probable future increased value; and by that means to estimate their present one; as, for instance, a quick growing tree, now only worth Six-pence to fell, may eafily be worth Eighteen-pence in four years more; and hence there could be no impropriety in valuing it now at Ninepence, or one third more than its present saleable worth.

About the age of feven years the thinning should At Tye commence; and, therefore, an annual produce might the be had from that time forward; but as no data exists, * by which to estimate its value, the safer method is to calculate upon an increasing annual produce for at least ten years longer; during all which time, as well as afterwards, no doubt need be entertained of an annual

a dry soil, of moderate_depth.—However as neither of them flourish so abundantly, there, as on moist ones, they are never likely to be cultivated extensively, except upon the latter. Probably, in different parts

ly to be cultivated extensively, except upon the latter. Probably, in different parts of the country, the two species may be known by names very different from the above, but still it is evident they are every where esteemed in preference to the others, as we very rarely find a Willow Pollard of any other fort.—In summer they may ea-

produce of Twenty Pounds per acre, besides the value of the herbage, from the time of the sence being displaced.

Evelyn, fpeaking of the Abele, fays "the Dutch "look upon a plantation of these trees as an ample portion for a daughter, and none of the least effects of their good husbandry."—We know that this excellent hint was addressed more than one hundred and forty years ago to thousands who had the means of benefiting by it, and yet, how lamentable!—we are yet to learn where is the single acre that was planted in consequence!!!

fily be distinguished at a very considerable lifeaur distance, as the Huntingdon appears of a Willow light green, while those of the other, though darker in fact, appear of a hoary or filver-like hue; in confequence of being covered with a fort of down.-In winter we distinguish them by the shoots of the former being brown, and fomewhat brittle, especially those from two to four years' growth; while those of the other are of a dark red, and very tough. Their manner of growth and shape of the leaves are much the fame: nor does there appear any material difference in the timber or quality of their wood;-fill, in almost every instance, the Huntingdon appears to be the quickest grower; and, therefore, where it can be procured, most worthy of attention*.-The plate of the

especies.

^{*} It would have been particularly gratifying to have been able to produce fome decifive proof of the durability of these sorts of Willows; but as I can state nothing positive from my own knowledge, it must suffice to

^{*}M' Pontay days, he intended to refer to both

in Hunter's Evelyn's Silva, gives a very correct idea of this species.

> Undoubtedly these Willows are both calculated for extensive usefulness, as Timber, but unfortunately, for want of a good method of training them as trees, in the first instance, and, in consequence of very limited and vague ideas of their properties, they remain, as from time immemorial, classed among the woods of lowest value.

> The Black Italian Poplar .- As this species is not mentioned in either Evelyn or Millar, it feems to have been introduced into the country fince the latter work. An opinion which, I think, is confirmed by the circumstance, that no old trees of

> remark that every thing I have gathered from either the observations of myself or others, goes to establish the fact; while not one circumstance has appeared (prejudice excepted) to discredit it.

it are to be found any where; and, though it is now common in the northern part of England, we very rarely find it in the fouth; while the Lombardy rears its ungraceful form every where.

Unfortunately, most persons take their ideas of the Poplar tribe from the appearance of this plant only; -an impression fo far unfavourable, that, with many, the whole species are in disgrace. - But though expectations (which were much too fanguine,) have been, in a measure, disappointed, in regard to the Lombardy Poplar, it by no means follows that fuch will be the case with the Black Italian:-indeed, matter of fact proves, that, as the one finks, the other rifes in the scale of estimation, so far as they are known:and hence, with myfelf, it is matter of doubt, whether the very extraordinary encomiums which used to be lavished on the former, at its introduction, were not, in

Bain fact, founded upon the merits of the lat-

It is quite as likely that the Poplars of Italy, in general, should have been obferved, as those of Lombardy in particular: and it is far from clear that both are not grown in every part of the country; and, therefore, a very trifling mistake might lead to the confequence now alluded to.—We know that the merits of the one are abundantly fuperior to that of the other; but why the latter should have been introduced by fo many encomiums, and the other none, is difficult to conceive, except by fuppoling, that, fomehow or other, they have exchanged both names and reputations.

The Black Italian is very different from the Lombardy in form, as it almost uniformly rifes with a light but regular conic head; being fo hardy as generally to preferve the same leader, from the ground to an immense height; in consequence, its stem is remarkably straight; and hence, in plantations, very trisling attention will form it clean, to any reasonably required height.

This tree is an aftonifhingly quick grower, on every fort of foil that may be called tolerable, though it certainly luxuriates most of all in deep fertile ones; while its timber is applicable to purposes sufficiently numerous; among which is that of making very good floors; and, therefore, no doubt need be entertained of its always commanding purchasers.

In that fort of planting which perhaps may be confidered as most of all profitable, namely, that which adds to the comfort and consequence, and, of course, the value of a place, previously scantily surnished with that important appendage—Wood,

in the best of the cultivates 2 and al

Hougham.

Sinch !

this tree is excellent; as, in judicious hands, it may be made to produce very confiderable effects, while many others (highly effeemed) would produce them in prospect only.——In short, for distant scenery, where Wood, not species, is the immediate object, this plant, hitherto in many places a stranger, is clearly superior to all the family of the forest*.

* As the Lombardy Poplar is well known from its peculiar erect manner of growth, it affords the eafy means of describing the Black Italian by comparison.— The leaves of both are very much alike in colour, shape, and turn, the only difference being in the latter producing them somewhat larger than the former, though not near so large as the other Poplars, whose leaves are at all similar. The branches of the latter grow much less erect, and, likewise, much thinner upon the stem.—The only other distinction necessary is the bark, which on a stem or branch, of from two to four or five years' growth, is always found smoother, and of a much darker colour than any of the poplars that are at all like it in other respects.

The Abele or Hoary Leaved Poplar.— Sheel?

In bringing this article under notice I cannot help remarking on the utility of an author introducing famples, in preference to mere descriptions of valuable woods, hitherto but little known and less understood, as is the case with the present subject; certainly it was something like this that first convinced me of its extraordinary worth; as, though in common with other people, I have been in the habit of reading descriptions of the Abele, it was not till a late visit to my honoured patron Lord Sheffield, at Sheffield-Place, Sussex, that I had any clear ideas of its being

As, in my professional excursions, southwards, I have been generally disappointed of meeting with the article at the nurseries, and have frequently had other forts substituted in its place, there can be no impropriety in faying here, that, whoever finds a difficulty in procuring it, may be surnished with the true fort, of any useful size, by addressing a line to the author.

any other than a white, and, also, a light

Woole wood, of extremely quick growth, and rather inferior than fuperior to the general fample of poplars.

> That Nobleman, who upon every proper occasion manifests a decided partiality for national produce, has lately made fome Floors of this Wood, which, in appearance, are superior to any floor I have feen, whether of Deal or Oak: and, as to durability, I fee no reason to doubt of that, if the denfity and weight of the article be confidered, in connection with fuch testimonies as books afford relative to the point. - Floors, however, are only one of the many inferior purpofes for which it is applicable; as it is certainly proper for almost every article of furniture usually made of mahogany. For the lighter descriptions of it, now so fashionable, it may be made a very good fubflitute, without any other addition to the natural colour of its heart than the means

cabinet makers generally refort to, in or- Abele der to heighten the colour of fuch wood; and with respect to the sap, and where more of colour is required, the aqua-fortis flain will inflantaneously produce it, so far as that it would be difficult to diffinguish it from real Mahogany.—Indeed, it is equal to the best, in colour and smoothness of furface; and much fuperior to the plain or inferior forts in those respects, as well as transparency and variety; and it has the further advantage over Mahogany, and most other woods, that it takes but little of either oil or rubbing, to produce upon it the fort of hellow shining surface, fo much admired in furniture that has been fome years subjected to proper attention*.

^{*} It is evident, that notwithstanding all which has been said by authors, (and certainly they have been by no means sparing of their encomiums on the timber of the Abele,) something more is necessary to induce men to either plant it liberally, or take proper care of what they have growing.—If the improved samples,

Planting on Steeps.— As these are situations consessed unpropitious to the cultivators of the soil, they naturally fall under the cognizance of planters.—But, though most of these can easily see the propriety of planting them, sew are ap-

produced with this treatife, added to the circumstance of the plainer forts of mahogany being now worth Sixteen Shillings the folid foot, produce no beneficial effects, I shall say that prejudice has indeed usurped the place of common sense.

Lord Sheffield, who kindly furnished me with the wood for samples, has several extremely large and tall trees of this species, most of which have been planted rather for ornament than use, being in the avenues.—
They are somewhat brittle, and, therefore, hable to be broken by the winds on exposures; some of his Lordship's have suffered in this way; after which they very much resemble the trees so much admired in the pictures of Salvator Rosa; who most probably took a hint from their picturesque appearance.—Nor has Homer done them less honour, as the following description evidently alludes to this species only, the appearance of all the other forts being very different:

prized how peculiarly they are adapted faution to the purpose; or that there are five respects in which they are clearly superior to levels.

So falls a Poplar, that, in watery ground,
Rais'd high its head, with flutely branches crown'd,
(Fell'd by fome artift with his flining fleel,
To flape the circle of the bending wheel,)
Cut down it lies, tall, fmooth, and largely fpread,
With all its beauteous honours on its head.


POPE.

From this we gather, that the wood was then in use for making wheels, (perhaps, water wheels; and, if so, it furnishes a proof of its durability in mostlure:—but if not, it shows the high opinion then entertained, of the strength and toughness of its timber.)

There is a variety of this poplar, which the planter, who wishes for quick growth, will do well to keep clear of.—Its leaves are rather less, with a surface somewhat more shining, and of a darker green.—The underside of the leaves is whiter as the down is finer, and lies much closer than that on the others.—This does not grow near so quick as the other, and usually goes by the name of the Shining Leaved Poplar.

Franchino

First.—They admit of a greater quantitions, ty of trees being planted upon an acre, or otherwife they allow to every one an increased quantity of surface.-To demonstrate this fact, which has been long and frequently the fubject of dispute, we have only to observe, that, in measuring a fleep, the dimensions of its base, and not the furface, is or ought to be taken: of courfe, on steeps similar to the annexed figure, the base and the surface differ



as five to four; and, therefore, in foils of blanking equal depth, a faving of one in five is clearly gained, by planting upon fuch a fleep. Where the afcent is lefs, the faving will be lefs in proportion.

Secondly.---Trees planted on steeps have likewife an increased quantity of air. To prove this, we have to confider that as, upon the average, each tree must rise above its fellow, equal to the proportion of the ascent, so each will have so much the greater quantity of furface exposed to the influence of the atmosphere:where a moderate portion of that is wanting, we may have trees tall, but they will be proportionably weak; where too much is admitted, they will be stiff, but short; a fleep ferves, in some degree, to moderate the two extremes; and, therefore, as well as on account of the increased surface, it is evident, that more timber may be reared upon them than upon levels.

If the face of a steep be concave or mostleful. convex, or partially so, the trees will be more sheltered than if it present a more even surface; as, in either case, the current of the wind, instead of sweeping in a straight direction among the steems, or upon the summit, will be broken in particular places; and hence much of its force will be lost.

Thirdly.—On steeps, trees are more sheltered than on levels of equal elevation.—In considering this matter, two points of the compass are out of the question; as when the wind blows along the steep, its effects must be much the same as from blowing along levels. When it blows from behind, or down such steep, there will be a calm among the trees, except such as are near the summit. But, to counterbalance this advantage, it may be supposed, that, when the wind blows up the steep, its force will be consider-

ably augmented, by what is added in Planting the ascent; which certainly must be the case, so long as the surface is somewhat bare.—The matter, however, becomes materially different, so soon as the trees get a few seet high; as, from that time, the wind has to travel over a sort of hollow surface, and, in doing so, great part of it sinks in, and dies away among the branches.

Fourthly.—It appears that, by planting on fleeps, more of the adjoining lands will be fheltered, than by planting the fame quantity of ground on a plain.—Here, for the fame reafon as in the laft cafe, two points of the compafs must be left out of the question.—As to the plain beneath, it will be completely sheltered to a considerable distance, provided the planting extend to the summit of the hill; as the trees will have a tendency to throw the current of the wind considerably above the level of the plain at its feet.

. Steel .

The effects of the winds blowing up a fleep have been mentioned:-on this head it is to be noted, that the effect on the grounds beyond the fleep will be observable at diffances, in proportion to the fireigth of the blaft; certainly the most violent will operate at the greatest:-for as the wind, in driving up a steep, gets augmented by the level current, it, by that means, becomes fo powerful as to drive the current, which otherwise would fweep along the fummit, to fome height above it; when the strength of both being reduced, by refifting each other, they descend to the ground together, at a distance from the top of the hill; greater or less in proportion to the level of the furface; -where the ground falls, the shelter operates to an extent almost beyond credibility.

On levels, the current of wind fweeps immediately along the heads of the trees,

from one end of the plantation to the other; while very little of its force is loft of the by finking in among the branches*.—Certainly fuch fituations present nothing con-

* At Stanmer, near Brighton, the feat of Earl Chichester, several of the tops of the hills, which are directly opposed to the sea breeze, have been planted: in these cases, many of the verges of the plantations exhibit a close front, quite from the ground; fomething fimilar to that of a clipped hedge, but, floping much the same as the ground below them. The height of the front ranks of the trees differing, in proportion, as they approach to or recede from the brinks of the steeps while almost every branch and twig bends from the blast.-This circumstance, added to that of the trees having been planted very thick, and each producing a flat head, ferves to conduct the whole current of the wind to every part of the plantations within its reach; in confequence, no tree can tower there, (the Scotch fir excepted,) otherwise than as they rise en masse. - To remedy the evil in some degree I have advised, to thin such fronts confiderably; as, by that means, much of the current will fink in, and be luiled among the front trees; which, in themselves, can only be valuable as shelters to the others.

fiderable, either to break, elevate, or diffipate it; and, therefore, it must fall to the ground, not only much nearer, but with much greater force than in the other case; and hence the effect of the shelter will be proportionably lefs.

> In many fituations, advantages may be gained, by planting the higher parts of fleeps with the tallest and quickest growers; as fuch means produce a fort of concave fummit, which abforbs more of the wind than an inclined plane; and likewife throws the remainder higher; of courfe, its descent would be at a greater distance, and the shelter increased accordingly.

> Fifthly.—As whatever is ornamental adds not only to the ideal but the marketable, and, of course, the real value of an estate, we may observe, that planting on steeps has an extraordinary claim to

attention, as producing one of the noblest dantes species of scenery, at an expence which, ... the compared with that of most other improvements, must be considered as trifling in the extreme.-I need not dwell on a feature which may be called equally bold and beautiful, A HANGING WOOD: as that is univerfally acknowledged;—but may just touch on some matters not so generally known: - for instance, contrasted with planting on a plane, that on a steep gives the idea of abundantly more in quantity; as, on a plane, most of the ground feems to be loft, except from fome particular point where a bird's eye view can be had of the trees.—The whole furface of a steep, on the contrary, may generally be seen from many points; and, when covered with wood, always appears larger than its real dimensions.

It should be observed here, that, to give the greatest possible idea of size,

the higher termination of fuch planting fhould, by extending beyond the fummit, be hid from the principal points of view, and more espicially so when it serves to bound a lawn or park ground. When such is the case, and the plantation is of considerable length, it should have one or more large breaks through it; as these, with the concealed termination of the planting, would give the idea of continuation to such ground, and the woods would appear to be large and within them, instead of proclaiming, as it were, their termination, and exhibiting, at the same time, a stripe of planting persectly inconsiderable*.

^{*} The delightful residence of Blythe, near Bawtry, will soon present a striking practical instance, of the effects which may be produced by the fort of planting just mentioned. The park grounds, in front of the mansion, are chiefly slat; but, to the lest, are terminated by rising grounds, planted:—the two ends with Oak the centre with Firs:—the whole showing clearly that the Park ends there.—At the same time, the

When the furface of a fleep to be blanking planted happens to be formewhat regular, or an inclined plane, and the higher part of fuch planting will be feen from below, the object then is to improve and not conceal it; as in the latter case.—For

heavy appearance of the firs point out from the house, their own termination, as well as that of the oaks, which otherwise would not be discovered, as they extend fomewhat beyond the fummit of the hill .- It happens, that the winds have torn up many of the firs, and the rest are by no means in a thriving state; I have, therefore, fuggested the propriety of taking them down, and converting that space into grass; which will present the idea of the park ground being continued between two confiderable oak woods; as the view will only be terminated either by the horizon, or trees, at not less than three miles distance. I may observe too, that at present, there is no approach to the place from which it can be feen otherwife than partially, and to great difadvantage; a defect which the proposed means will completely remove; as from a road, fituated just beyond the highest point of the intended break all the fine features of the place will, instantaneously burst upon the traveller!!

this purpose, some of the tallest and quickest growing trees may be introduced into
the highest side of it, as mentioned under
the last head;—as such means would, at
once, increase the apparent size of the
planting, and the height of the hill; and,
and at the same time, present a fort of
concave surface, which would be considered as abundantly more bold and beautiful, than one either convex or an inclined plane.

Adopting of Species, best of all suited to the soils, is a matter well worthy of the planter's most deliberate consideration: certainly they who neglect it, have no well sounded claim to the appellation of Prositable Planters.—Nothing can be more absurd than the planting of extensive tracts with many sorts, consessed with an eye to prosit, without due regard to felection; for though, in most soils, any of the common sorts of sorest trees will grow,

yet, in almost every instance, some one or election more will be found luxuriating abundant. If there is the planter's business to use his utmost sagacity to ascertain the species, either before he begins, or, at least, before he has made much progress in the business.

In doing this, I would feriously caution him against trusting to Theory, provided more satisfactory means prove within his reach; a circumstance very seldom wanting.—The method I have generally adopted, when consulted upon such subjects, is to make an excursion among the trees in the neighbourhood, and to examine migricum the soil where any fort or forts are found most thriving, in order to determine how far it corresponds with that intended to be planted.—In fact, I never give a decided opinion till repeated observations have satisfied myself as to the most proper species.

It will readily be supposed, that, in doof-Section ing so, an old planter cannot easily divest
himself of what he has previously learned;
and hence should it prove, that the species, supposed to be most proper, was not
found growing in the neighbourhood, inquiry should be made for the nearest place
where it might be met with on a similar
foil, or as nearly so as circumstances would
admit; by which means, it could rarely
happen but the selection would prove
very good, if not the best which the soil
admitted of.

Perhaps the necessity for such observations will be evident, upon considering, that every soil, exhibiting the same fort of appearance, does not possess exactly the same fort of properties.—For instance, on stiff soils, the Larch has, of late years, failed very much; which, however, does not prove that some of them are not well calculated for the article; as, at Woburn, they grow as well upon foils moderately stiff, as af sheere upon the fand; which circumstance, I prefume, may be imputed to the former being considerably calcareous, or what may be called a species of Marl.—On chalk lands, and grow we observe the soils on the surfaces to district the fer materially; some are very stiff, and the shift others very light, and yet the Larch is a light found to grow freely on both descriptions; which may probably be imputed to the cause just noticed, namely, the calcareous matter found in them.

Again, the Oak is generally observed to flourish most on a loamy or somewhat stiff soil, often where it is very much so; but yet I do not recollect to have seen it slourish abundantly on stiff calcareous soils any where; though it will be readily admitted, that on some of them it grows much better than on others.

Species.

The foil about Sheffield-place, before mentioned, produces timber in general, quicker than any other which has fallen under my particular observation; and, what is most remarkable, the Oak and the Larch flourish equally upon it; though it would seem too light for the former, and too stiff for the latter*.

* In order to ascertain the constituent parts of this soil, so remarkable for the production of timber, Professer Davy submitted one hundred parts of the entire soil to analysis, which produced the following result:

Water		٠						•	•	3
Silex							•		•	54
Alumin	e									28
Carbon	ate	of	Li	ne						3
Oxide o	of I	ror	ì	.4						5
Decomposing Vegetable Matter										4
Lois .						•				3
									_	

Again:—It appears, that the growth of feveral forts of trees is materially affec-

100

Pontes say, the quality of the soil Roughem, questy, sically, Seare and

in the foil;—a circumstance which never of when directly meets the eye.—Above Mines, where and in their neighbourhood, we seldom find here are the timber growing freely. The Larch free feems particularly averse to such situations, while the Oak and Witch Elm appear less affected by them than timber trees in general. In short, it may be fasely affected, that, though experience will generally enable us to form a pretty accurate judgment of the species most proper for any given soil, yet observation added to it, will furnish a much safer guide; and, therefore, no one is excusable in neglecting it.

When the planter has fully availed himself of the foregoing general observations, he may probably find an advantage in attending to the following descriptions of the soils, upon which the more useful species of Forest Trees will grow and thrive.

First, The Oak.—This generally seems to grow quickest on a deep and somewhat stiff soil, but yet any person of observation must have seen that it grows well on every species that can be called good. On sand and very stiff clays it will grow too, but very slowly; and, therefore, an attempt to raise it on such cannot be considered as prositable planting

The Ash,—Grows most freely on a deep loamy foil, more particularly if it be in a considerable degree calcareous.—It likewise grows well on the more tenacious forts of Bog Earth, after they have been drained. Generally, we may remark, that its quickness of growth depends upon a tolerable quantity of moisture, and not a small one of what may be called natural fertility, of which it is a prodigious consumer.—However the toughest, and, of course, the best Ash, in quality, is usually found to be

produced on a foil light, but neither very doils. moist nor fertile.

The Elm.—Under another head (fee p. 65,) the properties of the Broad Leaved Witch or Scotch Elm have been noticed. The Narrow Leaved, or what is usually called, in the Nurferies, The English Elm*, is rarely found in plenty, except where the foil is dry, light, and moderately rich.-It is true, we often find it thriving tolerably, in plantations, avenues, &c. where the foil is fliff, moist, and poor; but, in fuch cases, it will generally be found, upon examination, that it has been grafted, as is usual, upon the Witch Elm; and hence on these, as on every other soil, its growth is confiderably accelerated.

^{*} It is probably called English Elm, from the circumstances of its abounding in the hedges, in many parts of the country; but, fince I have never known it to produce feed, and know that in fuch places it propagates itself by fuckers, I think it improperly fo called.

Juitable Soil

Among both men and books, it re-Camed mains matter of dispute, whether the timber of the English or Witch Elm is best. Undoubtedly each may be preferable for particular purpofes; and certainly they must differ in quality, in some degree, from the circumstances of age, foil, &c. Such a dispute, however, seems proof sufficient that both are very good; and therefore, choice, and the fituations may determine the fort to be planted, provided it be duly noted, that the latter grows most freely on every foil, and that the former grows but very flowly on indifferent ones; except it has been grafted upon the latter*.

^{*} I have lately procured a new fort, apparently a variety of the Witch Elm, which grows quite as erect as the English, and abundantly quicker than either that or the former. It the timber do not prove of inferior quality, it will be a valuable acquisition, in both useful and ornamental planting; as, in a few years, it may be fold at the same price as the grafted English Elms.

The Beech.—This tree may be faid to duitable be peculiarly the inhabitant of dry foils, soils. including fand, gravel, and chalk; on all of which it grows very freely. On stiff ones too it will grow, but not near fo well; and hence it deserves no place on them, otherwise than for shelter, or to produce variety.

The Spanish Chesnut.—This tree, like Chesnut the last, is found to thrive best in a dry soil; and like it too, will make prodigious progress where it is far from rich.—On fandy ones, where the oak would make but slow progress, I have seen this grow extremely quick; and, therefore, in such cases, the latter should be substituted in the place of the former.—Its wood and bark are known to possess the same valuable properties as the Oak, in an eminent degree; while it is, in a measure, exempt from what may be called its principal desect, namely, the perishable nature of its sap or younger wood—Hop-poles and stakes of this wood

are efteemed every where, for their great durability, which, of course, have but little of heart in them. On wet or stiff soils, in the northern part of the island, the shoots of this plant seldom get sufficiently ripened; and hence their extreme ends are often killed by the winter's frosts; and, therefore, attempts to raise it on them, for timber, usually prove fruitless.

* I have really been aftonished to observe the rapid progress of this plant on sandy soils; more particularly at Berry Hill, near Manssield. If the proprietors of lands in that quarter, who are anxious to raise oaks upon them, would, instead of planting thousands of that article upon an acre at a great expence, content themselves with planting two or three hundred small Chesnuts among Larch, Firs, &c. and take care to prune them, either annually, or every second year, as they are apt to form double heads and large branches; and likewise take care the other trees did not over-top them, I am persuaded they would, at a very trisling expence, provide a supply of the best species of timber, to succeed the firs, &c. Perhaps, on the sandy soils in that quarter, more planting is done and doing than on five times the

The Sycamore.—Perhaps few trees will Joils. grow and even thrive (the Scotch Fir ex- Sycamo cepted,) on a greater variety of foils than the present subject; for it seems to reject none but Bogs, and the most barren heaths: still it evidently luxuriates most of all on a deep and fertile loamy foil, where, of course, it is not stinted in regard to moisture. I have observed a large tree of it growing freely on the fide of a brook, where a conflant stream washed more than half of its base; its other roots being in a dry soil. This proves it thrives in a confiderable degree of wet; still it may have too much; for I have feen fine thriving trees, of twenty years' growth, killed by the water foaking from a stream on a higher level, and keeping the foil, (naturally a dry one,) in which they grew, conftantly wet.

fame space in any other part of South Britain. — Should the above hint be generally adopted, posterity will have reason to say, It was well that ever the author traversed Sherwood's barren Sands.

Sillable Poplars and Willows .- Having already with introduced the Black Italian Poplar, with the above, and the two best species of Willows for Timber, and shown what are their 70.76 most favourite soils, it needs only to be added here, that, though they are all regarded as aquatic plants, all of them which we confider as valuable for timber, will thrive better in a very moderate than a great degree of moisture; and they will alfo grow freely on a dry foil of tolerable depth; -nor do they refuse either a stiff foil or a fand, provided they are not very barren. - In truth, were we but half as well apprized of the various purpofes to which their timber might be properly applied, as we are of the quickness of their growth, I am perfuaded they would then be confidered as subjects worthy of general attention.

> The Larch.—As the extraordinary value of this article gets, annually, better un

derstood, there is so much the greater need of clear ideas of the nature of the foil, upon which it will ultimately fucceed; for as, hitherto, it has been planted indifcriminately on most forts, and failed generally on some, and partially on others, there is fome danger of its cultivation being discouraged.

Why this plant should be attacked by Ahava infects, on lands deep, rich, and good, where it had previously grown well, while it has continued to flourish in spite of being fo attacked, on foils every way inferior, feems extremely difficult to account for; the fact, however, is obvious; and, therefore, without indulging in objectionable theories, we may certainly pronounce it an unsafe speculation, to plant the article liberally on fliff, humid, or deep rich foils, except they should likewise be considerably calcareous.

dails.

Perhaps no part of South Britain has fazel. fuffered fo much, from the ravages of the infect, as the South West part of Yorkfhire; as there the best and richest lands have fuffered very generally. On the moors, also, there are many inflances of confiderable damage. Of the latter, however, it must be observed, that the crust or furface, (a black moorish or heath soil,) which is certainly unfavourable to the article, differs as much in depth as from five to fifteen inches, and we frequently have both extremes in the distance of three or four yards. The second stratum is generally fuch as the plant will thrive in; and it is, likewife, in most places, of considerable depth; and hence it is that the trees, planted in it, usually grow well from the first; while such as are planted in the surface foil only, never make much progress, till their roots have penetrated through it; mean time, (of late years at least,) fuch have been found almost uniformly insested doils. with infects.

It fhould, also, be observed, that though fuch under stratum is all of the fame colour, (a reddish fort of fand,) and generally full of loofe stones, it differs materially in quality:-where the least quantity of stones appears, the foil has the least of grittiness, and there the Larch fucceeds the best;-where the stones are most plentiful, the foil proves proportionably fharp, and there the plant thrives fo much the worfe. Still, though the above may be confidered as a general refult, cases have occurred where the plants have failed partially, where they had previoufly grown well, and where their roots were (apparently at least) in the better fort of foil only; a circumstance which seems almost to puzzle conjecture. But still, if two trees have grown nearly alike, and almost close to each other, for several years,

witable toils.

and the one gets afterwards much infefted with infects, and the other very little, we may be fure there is a cause for the difference, and that it must be with the roots. If the whole of one fet continues to work their way through a deep and favourable foil, while a part of the others meets with obstructions, from loose stones, with but little of earth among them, or folid rock, as must often be the case in these moors, we shall then have accounted for the cause,—a deficiency of earth and moisture. One tree must, in consequence, be much weaker than the other; and it is well known, in regard to fruit trees, that fuch are always most subject to be infested by infects. Certainly nothing has vet appeared to show, that a very large proportion of these extensive heaths is not well calculated for the production of this very valuable tree, but past events have shown the necessity for just and careful discrimination.

It is, indeed, highly consolatory to find, by collecting facts from many distant parts of the country, that though, on most of the sandy and calcareous soils, the insect has been very numerous, yet, Joils n hitherto, its effects have been but little prejudicial; and, therefore, we may reafonably conclude, that they are peculiarly favourable to the plant; and hence, on them, its cultivation may be most safely extended.-Indeed, when we confider of how little value many extensive tracts of both descriptions are, for the general purposes of agriculture, and how much the reverse for the production of this article, as well as many other species of timber, we can affign no reason why more of them are not planted, but that their value, in that respect, has hitherto been but imperfectly understood.

As to the infect, there is reason to hope that we have feen the most destruc-

Fairma

itable loils.

tive of its efforts; for, in the quarter that has been mentioned as the feene of its former triumphs, as well as every other which has come under my notice, its ravages feem to have been upon the decrease for the three last feasons; and, during the present, it has done so little harm that, were it never again to become more numerous, it might be considered as no longer formidable.

The Scotch Fir.—The aftonishing manner in which this plant accommodates itself to every description of foil has been mentioned, (see p. 54:) in addition to which, it may be observed, that the only cases in which it will not thrive is a bog, too wet for any plant, (aquatic excepted,) and a clay, too stiff for any part of the vegetable creation to thrive in. In the latter case, the reason of the failure is obvious; and, as to the former, it can only be imputed to the moisture; as, in a drained bog, the

plant luxuriates prodigiously. It need Soils. not here be faid, on what species of soil this alcohol. tree will thrive best, as it is rarely plant- Fii. ed with an eye to quick growth only; nor do I think the matter clearly ascertained; and, therefore, it may be enough to obferve, that wherever any tree will grow freely, (the aquatics excepted,) the Scotch fir will do the fame. Its peculiarly valueable properties, fuch as growing on heath foils, and on exposures where no other tree will thrive, have been particularly attended to, p. 54-62*.

* It has often been observed, in the nurseries, that Document this plant exhausts the foil less than any other; as, after ex haust a crop of it, the ground is always found in a condition dell. to bear other articles. Whether this arties from the circumstance of smothering it only, or from the plant fubfifting on less quantity, or a different species of nutriment, is not clear; but, perhaps, all of them may, in some degree, contribute to produce the effect fpoken of .- We know, that it can fubfist, and even thrive, on a nutriment which would starve most other trees; and we know too, that its roots being but little

luitable Voils

The Spruce Fir.—The proper foil for, and the extraordinary value of this article, have been noticed at length, p 38—48, and, therefore, here it feems necessary only to press upon planters the advantages of using the plant liberally, in order to promote the towering of such deciduous trees as are intended, ultimately, to form the bulk of plantations.

Here I may particularly remark, that both authors and planters are in the habit of erring egregiously, in regard to

fibrous, are hence fo much the lefs calculated to exhaust the foil. The ash has already been noted as a prodigious exhauster, but it only is so in proportion to the extraordinary quantity of its fibres. Perhaps it may be found, that plantations, mixed with Scotch Firs, usually produce a greater weight of wood upon a given space, than where it is excluded; and, if so, it can only be accounted for by supposing, that some or all of the causes above mentioned contribute to produce such an effect.

the proportion of principals and nurses; as they generally use as many, or more, of the former than the latter; though it is very easy to show, that they ought to use three times as many of the latter as the former. For instance, when trees are planted at the short four feet apart, each occupies a surface of sixteen feet; of course four of them will occupy sixty four, or a square of eight feet; and, therefore, if we plant three nurses to one principal tree, all the former might be displaced, gradually, and the latter would still stand only eight feet apart.

It has already been remarked, that nurse plants should, in every possible case, be such as are most valuable at an early period of growth. It is repeated here because the idea is of much the same importance to the Profitable Planter, that a good soundation is to a builder;—the point is indeed of the first importance; and, therefore, any prudent planter should

houls.

have it engraved, as it were, upon his memory;-the confequence of which would be, a liberal use of the Larch and Spruce Fir, for the above purpose, in every case where they would grow freely:-Still it is not intended they fhould exclude all others, more particularly the Birch, which, with most of the properties of a good nurse, such as numerous branches and quick growth, on any tolerable foil or fituation, is, likewife, highly ornamental. It is not, however, like the others, a wood of general application; and, therefore, much of its value depends upon local circumstances; and hence, before planting much of it, it should be considered for what purpofes it would be wanted in that quarter; and, likewife, the probable quantity; as a very moderate one will overflock

the market, with an article of timber not

ufeful for general purpofes.

Selection of pla

It must be acknowledged, that the services of extensive planters are neither 3 to 4 me few nor small;—but yet I do not hesitate diameter to affert, that all the rest are trisles, in comparison of the mistakes in regard to proper species for this purpose.—If we cast our eyes over the list of the more common forts of deciduous trees, we shall find that, with the exception of the Larch, the uses of their poles, up to three or four inches diameter, are far from numerous; and hence it is easy to overstock any neighbourhood with are with them, for they will seldom bear the sexpence of long carriage.

I could point out an estate, situated conseque where siring is very scarce, that would do bat produce more poles and saggots, the coming winter, than the proprietor can dispose of for a dozen years to come; nor would lowering the price very materially increase the demand:—The consequence of which is easy to foresee; the plantations

Insequence will be very much damaged for want of factor timely thinning; mean time the propriece that etor's return, from them, but trifling.

If the value of the larch and fpruce fir had been known previous to planting, and also that the soil is much more proper for them than any other article of nearly the fame value, they would naturally have obtained a preference, and the plantations would now have been highly productive, as the immediate neighbourhood would have taken off a large quantity of both, at a good price; but, unfortunately, there we find almost none of the former, and but few of the latter.—In fhort, the estate exhibits some hundreds of acres of thriving plantations, upon which no expence (supposed to be needful) has been spared; and yet I see no reason to think, they are now of more than half the value they might have been made, at a much less expence, by attending to a proper felection.

I could point out many other exten-language five plantations, which confift almost ex- if a bacular clusively of Scotch firs, though the soil is elected equally proper for the spruce and larch. In these cases we usually find the market overstocked; and, hence, either the price of produce is kept low, or the thinning is neglected, but more commonly both.

Perhaps we shall be somewhat near the truth, in observing, that where Scotch firs are in tolerable plenty, a moderate sized tree of it will setch about half, and a pole one third as much, per soot, as the foreign fir timber; which disparity could not happen, if there were not a doubt of durability in the one case, and a certainty of the want of it in the other; neither of which would now be the case, in regard to the larch; and as to the spruce, the sprit of investigation now abroad insures its worth being duly appreciated very soon.—The present high price of foreign wood leads

cleater to two desirable consequences:—It not the properties of native produce.—In some cases, it creates a necessity for doing that which may ultimately prove highly useful, in the way of experiment.

Perhaps it is a new idea, that a much greater weight of wood may be produced, on any given quantity of land, by plant-quantity ing in mixture, than by using any one species only; and if so, ornament and utility may be said to go hand in hand. The sact, however, is of a nature not to be either easily or suddenly demonstrated by experiment; and, therefore, we must appeal to observation, in the first place. For myself, I have long been satisfied that such was the case; having never yet seen a quantity of any one species growing to-

gether, which left the idea of an abundant produce upon my mind; though the

reverse has often been produced, in the of plane case of mixtures.

The agriculturist uniformly counts Advants upon producing the greatest quantity, by of a migrepeatedly changing the species; and the instances already produced are sufficient to fhow, that trees have what may be called a choice in their food, fo far that they do not thrive equally on the fame foil. know, that some trees penetrate deep, while others have most of their roots at and near the furface; of course, by using both descriptions, the foil is more completely occupied. It may, likewife, be reasonably supposed, that the decomposition of a mixture of leaves produces a matter more favourable to the production of trees, than the produce of any one species applied to itself .- On the whole it appears, both reason and experience will fully warrant the conclusion, that the greatest possible quantity of Timber is to be obtained by planting mixtures*.

Preparation of the Soil for Planting.

If we were to take our ideas of this subject from what might be found in books, we should be led to think, that any thing short of a very expensive preparation would be the hight of folly; or rather, that it amounted to a species of infanity; as it would be equally a waste of Land,

"It has frequently been remarked, that deciduous line in the planted alone, and the difference has been usually imputed entirely to the shelter afforded by the latter: undoubtedly such shelter is, in most situations, highly beneficial; but it should be noted, at the same time, that all the resinous tribe are different in nature, as well as appearance, from deciduous trees;—the former (it appears) cannot so far exhaust the soil as to render it unsit for the production of the latter. If this idea be correct, it is evident that, in order to raise plantations of any fort of deciduous trees, quickly, we should plant much less in

Money, and Trees.—If, however, we look reported formewhat attentively into the matter, we of soil. Shall find fuch as are most loud in praise of preparation, are men who have learned little, or perhaps nothing from experience;—for true it is that, exactly in proportion as they have been taught in that school, will be their means of distinguishing between what fort of preparation is necessary, practicable, and politic, and the reverse.

Most certainly the public have no reafon to thank writers, who talk about preparation, without making the necessary

quantity of it than of firs. If five hundred and fifty of fuch species were allowed to an acre, they would stand about nine feet apart, which is quite near enough to produce a tree of any tolerable size and sigure.—We are sure, that the same species consumes exactly the same sort of nutriment; and, therefore, every extra plant of it reduces what ought to support such as are intended to remain as tenants of the spot.

Odis-a.

beneficial to society and individuals; by representing it as abundantly more tedious and expensive than it is in fact.—However a little consideration may show any one, how little such are acquainted with the business; for, were it otherwise, they must reason very differently;—from a knowledge, that at least nine tenths of the lands, allotted to useful planting, are either too sleep, slony, bushy, or heathy, to admit of the fort of preparation alluded to;—or otherwise too sandy to

Undoubtedly, fands and heathy foils comprise jointly, more than two thirds of the land likely to be planted for any purpose in the country; and, as to the former, a little reslection will show, that an expensive preparation is perfectly unnecessary, as nature has, in a great measure, fitted

need it.

them for the purpose it is intended to be ferve, namely, to provide a loose soil, in of soil which the roots of the plants may meet with but little obstruction.—Sands are generally sound light enough; and, therefore, the difficulty chiefly rests in the foul condition in which they are often sound; but, even in such cases, a fallow may and generally ought to be avoided; as most fands are, to a considerable depth, as favourable to the production of trees as the surface; and, therefore, we have only to discard the turf, &c.—and then to loosen the sand below, and ultimately to plant in a hole some inches deep*.

^{*} The advantages of this method feem evinced, by what has happened, in the last seasons to the planters on the sands in the neighbourhood of Sherwood Forest. There, I am told, many have lost more than half their plants, in consequence of the long continued and excessive drought. In the planting done there, under my direction, the above method was followed, in consequence of the land being extremely foul, upon

Undoubtedly, a fallowed furface would occasion the trees to grow quicker in the first place, but there are several drawbacks upon that advantage; as first, the loss of plants would be much greater in the first instance, as they would have neither shelter nor shade, as in the other case;—secondly, the vegetable matter, previously upon the surface, would be lost to the trees; which, otherwise, would be found highly beneficial, after they get so close as to smother and rot it.—The greatest drawback, however, remains;—the expence

which, the lofs has proved trifling, except, in one inflance, being part of a plantation of about twenty year's growth, where the plants failed generally in the first inflance, while they did well on three sides of it; as was the case with a quick hedge on the fourth:—there we lost about half the quantity planted, being larch and spruce firs only.—As there seems no way of accounting for the failures on this spot, but by supposing some latent defect in the soil, I purpose to try to remedy it by exposing a quantity, from each failing hole, to the influence of the atmosphere, during the coming winter.

of the fallow, which, in itfelf, would be more than ought to finish half the planting; and, therefore, though it may often be practicable, it can but feldom be proper.

As to heathy foils, we find many of stath them to differ but little from the last, so far as the production of trees is concerned; because a thin crust of such soil, upon a fandy bottom, is extremely common; which is fortunate to the planter; as he needs but to difcard to the black furface Earth, and to plant, in the fand below, as directed for the last case.

In regard to deep heathy foils, they are only qualified for the production of heath the Scotch Fir; and that article is well known to possess the property of penetrating into foils the most tenacious; and, hence, it may be faid, to require but little affistance from either the plough or the

haratur spade; and yet, with a fort of hardihood Lose almost proverbial, it is one that suffers meterially from exposure in the first instance; a fact which many planters have experienced much to their cost.—It happens, that most heathy foils are, likewise, expofed; and, therefore, a preparation, which would extirpate the heath, its natural shelter, would endanger the success of a great proportion of the plants; and therefore, though very expensive, it is far from a fafe method.—In fome cases, where the heath is very long, it may occasion great difficulty in the holing, and, likewife, the fmothering of many of the plants. In this case, the best method is to burn it down, at least one season (but better if two seafons) before planting; as, otherwise, the exposure would occasion the fort of loss just mentioned.

Perhaps our knowledge of the internal structure of plants is too limited, to en-

able us to define clearly the state of lan- Chehrin guor or disease, into which they are of soil thrown by removal, or the feparating of that intimate connexion which subfifted between their roots and the foil. Still, experience teaches us, that certain causes will produce certain effects; and it is from careful observations on these, jointly, that we come to a tolerable knowledge of Judici what is necessary to the safe removal of and de trees. We know, for instance, that, on handle elevated ground, much exposed to the fue. weather, the frosts and winds of a very moderate winter will kill a tolerably large fir, though it should be removed with the whole of its roots, and planted with every possible degree of care; and, likewife, staked, so that the wind could scarcely move it at all.

As, in this case, the plant might be obferved to be in a dead or dying state, before the want of moisture could have conThen the ributed to produce fuch effect, we can foot. impute it to nothing but the cold; because had the same tree been planted in a shelter, and similarly treated, it would certainly have survived its removal.

We know, also, that the more we reduce the roots of plants in general, (particularly firs,) so much the more are they subject to suffer in removal.

A plant, which retains only its largest roots, requires a greater degree of heat and moisture, to set its vegetative powers in motion, than one which likewise retains its small ones. We can feldom remove a tree without the loss of a part, (generally a large proportion of the latter;) and hence we inser the necessity of sheltering firs, in the first instance, as far as the circumstances of the case will admit; and, also, the propriety of managing, so that they may require as little of it as possible.

We can, for instance, remove a Scotch Likaged fir, of one foot high, without losing many of Soil of its finall roots, while one of two feet would, in that operation, lose most of them .-- Almost any situation naturally produces what will, in a greater or less degree, shelter the former, while very few will afford it to the latter. This fir is, at best, a bad rooted plant, or one which makes but few roots, and these long ones, in proportion to its height; therefore, by confidering all these circumstances, it is prefumed, the causes of the heavy losses that fo frequently follow the planting of large ones, on bleak fituations, may be naturally accounted for.

Confishent with the above ideas, inde- how to pendent of avoiding a heavy expence, I is and never advise the breaking up, and, of course, leaving bare, an exposed and heathy soil, but, instead of it, make holes among the heath, (in the manner that will

repearer of pround.

be directed;) constantly making use of plants fmall enough to be sheltered, and yet not fo small as to be smothered by it; of course, they are planted both in shelter and fhade.—The former prevents their being starved, in the way that has been mentioned, and also prevents wind-waving, which would otherwise form a cavity round their stems, so as to admit of drought, and occasion considerable loss.— The latter, by partially excluding both the fun and wind, prevents them from much exhausting either the moisture of the foil or the juices of the plants; and hence the business of vegetation must be earlier fet in motion, and more regularly carried on, than where the cafe is otherwife.

Having now attempted, at least, to develope the principles which ought to influence the practice of planting fandy, light, and heathy soils, wherever economy

is a leading object, we may next advert to hehera the case of stiff ones, which are confessedly the most difficult; because, though it Stiffed may be eafy to cause the plants to grow on them, it is quite another thing to cause them to thrive; and, therefore, except where particular circumstances call for it, I am no advocate for planting fuch as are more than moderately tenacious, especially if they, likewise, prove shallow. It is admitted, that a tolerably strong foil may be highly productive, in some species of timber; more especially, if deep:-a thin, stiff one, however, cannot be fo productive, as both its quantity and quality have a direct tendency to flint the growth of the plants, in all feafons, but more particularly fo in dry ones.

When the planting of fuch foils becomes necessary, it is a fortunate circumstance if they happen to prove in grafs, and capable of being ploughed; as, in Sal

bringing the roots of the plants and the bringing the roots of the plants and the rotted fward in contact;—the latter of which will not only produce nutriment for the former, but a more easy means of extending themselves, in every direction, in search of it. A soil naturally stiff becomes abundantly more so, by being long under tillage: by fallowing we can clear such of noxious weeds, but cannot prevent them from running together again in consequence of the next steeping shower.

The best method I know, of preparing such for planting, is to plough them, and take a crop of any sort of grain they will produce, the season before they are intended to be planted; wherever a choice is presented, that which will be most smoothering should be preferred, as having the greatest tendency to rot the sward.—In autumn, after the crop had been reaped, and the ground moist, but not wet, it

should be well harrrowed, and that immediately followed by holing with the spade; which work should be done by chopping the foil to the width of about a foot, but not deeper than the furrow, and then placing it round the sides of the hole, rather slat, so that the frosts may easily penetrate it during the winter.

As the difficulty of working such soils is obvious, so there is a necessity for attending to them just at the critical season, such as we usually experience, repeatedly, in autumn; it can be of little consequence whether it prove in September or October, so that the ground be in proper order.

And observe, it is more fase to plant such soils rather late in spring, than early; as, in the latter case, the soil would seldom be sound dry enough; and hence the plants would be crammed into a clod of clay; and would, likewise, be in

he have tuildanger of being thrown out of it, by such frosts as might happen afterwards, without Hore, being at all benefited by fuch as had haphallow pened before. On the contrary, by late planting, we fecure all the benefit of the winter's frosts, without the danger from them just mentioned; and, likewise, can plant when the foil is sufficiently tender, but not so wet as to flick together; with little danger of fuccess. Under this management, it is meant to make use of part of the harrowed foil, on the furface, by drawing it round the trees, fo as to raife the former furface about two inches, to the breadth of about eighteen. The reason for this is, to afford the opportunity of placing the trees fufficiently deep, without putting their roots lower than the track of the plough, and the direction of the discomposed turf; a matter highly important to the growth of the trees. Such foils certainly afford but few advantages, and, therefore, there is fo much

the more reason to avail ourselves to the Paparint atmost of such as we find. Consistent of and with what has been advanced, the best stiffs plants for such soils will be the Scotch and shalls spruce firs, with the witch elm and the birch; the firs not more than nine the others about twelve inches high.—The variety may be increased by other species; but it is presumed, in such cases, the above will generally be found the quickest growers.

In foils of the above description, which are incapable of being ploughed, the reversing of the turf is indispensible; because the surface soil will be abundantly more light and fertile than lands of the same fort, which have been often turned and mixed by the plough. Indeed without turning in the surface, in order to put the best soil in the direction of the roots of the plants, I know of no method

Reference of planting, in fuch a cafe, with any rea-

#Soil.

The method will be to turn the turf completely, with all the foil adhering to it, with the fpade, in as large portions as may be found convenient; as fuch method would not only be the most expeditious, but under it, less of herbage would vegetate, than if turned in smaller portions; it would, likewise, afford the means of planting in the centre of the slags, which of course, would be for some time, tolerably, clear from weeds; hence much of the danger of smothering the small plants would be avoided.

On fuch lands, we usually find a very tough fward, which should be in a measure reduced, either by a crop of grain, or being fallow through the following summer. Certainly nothing would, ultimately, be lost by the delay: for as, after it, the

ground would be found mellowed, and the Jupan herbage rotten, fo the rifk from drought, of grow which otherwife would be confiderable, fiff to would be nearly done away, and the plants for two or three years, be found to grow much quicker than if planted a year fooner.

As fuch turning the foil is to be confidered as tantamount to the ploughing directed in the last case, the season for the operation, and method of making the holes, should be the same; and the same will apply to the manner of planting, size, and species of trees, &c. only as here there is no harrowed surface; therefore the foil to deepen that immediately round the trees, may be collected from any other part of the surface, where it is found in the best condition.

A foil fimilar to the foregoing, previoully under tillage, is among the cases by no means favourable to the hopes of the arakin planter; if, however, he has particular ground reason for planting them, he must likewise Soil refort to particular means of preparation; allow the most effectual of which would be found to be a fallow, so far complete as to Fradicate not only the perennial, but the greater part of the annual weeds; for, otherwife, they would inevitably fmother a great proportion of the very fmall plants, which alone are proper for fuch fituations, except the additional expence, of hoing among them for two fummers, was fubmitted to. It is not here supposed, that the most complete fallow would entirely preclude the necessity for hoing, or, at least, cutting down part of the weeds, but it certainly might very materially reduce the bufinefs. An autumn fallow is as peculiarly fitted for the irradication of annual, or weeds produced immediately from the feeds previously lodged in the foil, as a fummer one is for the destruction of fuch as are produced from roots. It is among the difadvantages of fallows, made preparatory to the fowing of wheat, that the grain is usually fown about the time when the feeds of weeds are most of all disposed to vegetate, on the foils under notice; a very unfortunate circumstance, but not at all applicable to the case in hand; as here the stirring of the foil, which occasions the destruction of such weeds, may be protracted to a much later season. In mild autumns, we often find seeds to vegetate freely to the latter end of December, it is not then too late to stir the foil, if it do not prove too wet.

The necessity for forming such lands into somewhat narrow ridges is evident, for otherwise the water would lodge in and upon them, in winter; which would not only damage the plants, in the first instance, but cause the soil to bake so hard, in summer, that the trees would make but little progress in it. The soil from

marchinthe furrows would likewife be beneficial, fround by contributing to the general depth. If it be objected that fuch ridges would confine the spreading of the roots, it may be answered, that, before the plants could require much space, a foil would be accumulated in the furrows, (except on confiderable declivities,) fufficient to cover the fmall fibres, fo that they would cross them; after which, the plants would derive support from the adjoining ridges, in addition to their own.

Captant. In lands formewhat steep, the ridges had best be formed with a moderate fall aeross the declivity, and these again crossed by ditches, at from forty to fixty yards distance, to take off the water, and prevent it from washing the foil down the furrows.

> The species of plants for this purpose should, of course, be the same as in the foregoing inflances; but the fize should be

lefs, as fuch are best qualified to accommodate themselves to these unsavourable soils: time of The best fizes, I conceive, to be Scotch from firs of two years old, spruce three ditto, the Die birch two ditto, and witch elms the same; shallow all of which should have been one year transplanted, in order to improve their roots. Where variety is an object a few of other species may be put in the margins; fuch as the oak, fycamore, hornbeam, mountain ash, laburnum, &c. as all of them will grow, though not fo well as the foregoing; the fizes should, of course, correspond with the others.

Before I dismiss the subject of thin stiff foils, it may be well to impress upon the mind of the reader the peculiar use- eather fulness of the Scotch fir in such situations; 💯 . as, by its shade and shelter, it tends at once to meliorate the atmosphere, and the soil. The former is obvious; and, as to the latter, no plant is fo well qualified to thrive

Phonother upon them, and of course, so speedily to

fmother and decompose the vegetable mat-Worl. ter they produce; indeed, from the time it hallow gets to fix or eight feet high, the rotting of its spine furnishes not only a nutriment, but a conductor for the roots of the other trees; as its foil, shelter, and shade all contribute to promote their spreading; and, of course, their fuccess in the fearch of that effential article food. A root, protected by the shade of a Scotch fir, will travel, as it were rapidly and in fafety, not upon but so near the furface that, by the time it gets half an inch in diameter, it frequently burfts its fcanty covering, after which, we may perceive to a demonstration, that every part of the foil is completely employed in support of the trees.

dech ._

The management of a stiff and somewhat deep foil, capable of being ploughed, will differ in three respects, from the first case; as first, the furrow should be as deep ploughed as could be laid tolerably flat; fecondly, the harrowing may be omited grown ted, as the trees may be planted level shifts with the furface: thirdly, firs, of a foot, and deciduous trees, of eighteen inches, may be used. Where such lands have been previously in tillage, a fallow will be necessary, if the ground prove foul, but if not, it may be dispensed with; as where plants of sizes as above are used, trisling attention will prevent them from being smothered.

Where fuch foils are incapable of being ploughed, holing with the spade should be reforted to in autumn. The size of the holes about fourteen inches wide, and ten deep, if the soil will permit. When one hole is made, the sward from the next is to be taken off, and placed with the grass side downwards, in the first. About one third of the remaining soil may then be thrown upon the sward to press

formulation down, and promote its rotting; and formulation the other two laid close round the hole, with soil not in large lumps, but broken a little, took, so as to benefit the more by the winter's frosts. This case would require plants of the same sizes as the last.

The previous preparation, of once ploughing and a crop of grain, is certainly applicable to every foil, that has been fome years in grafs, and is capable of being ploughed; it being not only a good but a very cheap method; the difference in value between a crop of grain and one of grafs being generally in favour of the former, confiderably more than the expence of the ploughing.—Undoubtedly this method leaves the ground in a fituation peculiarly calculated to forward the spreading of the roots, and to promote the general growth

of the trees; and, befides, the holing after fuch crop, would only coft about half as much as after grafs. The general differ-

once of management for a thin and a deep departs foil has been just adverted to.

While recommending the use of the plough, the case of a thin chalk soil naturally presents itself; as these have been found Shings. abundantly productive in many valuable soil. species of timber; mean time, the elevations in which they are very commonly found, stand in the utmost need of shelter; while the loffes which have followed planting fuch of them as have been long under grass, shows clearly the difficulty of the business. Generally these losses have happened from the circumstances of drought and exposure; and, therefore, means should be used to guard against both. To effect the former, in an easy and cheap manner, I know of no means so proper as the fort of ploughing and cropping just adverted to; still it will fometimes happen, that the foil will not be productive in grain; but, even in that case, the ploughing will apply; if

for one feason cannot be much; it must, at least, be abundantly compensated in the success of the plants.

As thin chalk foils are generally rather light, they do not require to be long exposed to the frosts; and hence so much the more time may be allowed for the sward to rot, before part of it be turned up by holing. It may lie reversed from October in one year to December in the next, or sourteen months, and still leave time enough for the frosts to operate, so far that the soil may easily be separated from the grass roots.

The difficulty in planting fuch foils is threefold;—for, if planted early, the frosts often throw the trees out of the ground. If planted late, the drought frequently kills them; and generally the exposure is

fuch that many of them fail by that means. Phehanate There is, however, a method of protecting of grown the plants against all these evils, which, Shinklad in common cases, cannot cost more than 8s. or 10s. extra expence, per acre: it arises out of, and forms a necessary appendage to the method already pointed out: it is this:—After the trees have been planted in the usual manner, part of the furrows. most distant from the trees, is cut into lengths of about twelve inches each; and one of them laid on each fide of every plant, not close, but so as to form a cavity, just wide enough for the lower branches not to be preffed together by the foil: the direction of the cavities must cross the principal current of the wind.

The way in which this fimple process effects the specified purpose, is almost too obvious to need explanation; but, as it applies to a branch of the art which cannot be too much extended, I may observe,

charachethat the pieces of the furrows to applied, prevent either the fun or wind from drying the foil, otherwise extremely thin. They, likewife, prevent the frosts of spring from penetrating fo low as the roots of the plants; which, by congealing the moifture, raife the furface; and hence either loofens, or throws them out of the ground; of course, by this method, planting may be done early; a matter highly important on thin light foils: on thefe it is also very defirable to plant as shallow as possible; by this means, the higher parts of the roots may be placed not only level with the furface of the ground, but fomething above it, by drawing together a little foil to cover them.

As this case admits of only very small plants, so the shelter from wind-waving, afforded by the slags, would be considerable; for as the firs, which are most of all subject to suffer by it, should not be more

than five to seven inches high, the broad Preferent or branched part of them would be screen- of order ed, so far that the plants could be little . Fin chadamaged by it.

As, in this case, there is no danger from weeds, very small plants only should be made use of; say larch and Scotch firs of two years, spruce ditto, three ditto, ash, beech, birch, sycamore, &c. two ditto, all of which should have been transplanted.

The quantity of each species should be varied, in proportion to the exposure: where most bleak, there a considerable proportion of the Scotch firs, with a tolerable quantity of the birch, should be used; where least so, the other articles will be more proper; more particularly, the larch; it being, all circumstances considered, by far the most beneficial article that can be planted on such soils; and hence, in planting of them, the sheltering of it should al-

and, for that purpose, the Scotch sir and in chalk birch will always deserve a presence.

The general usefulness of both, for such purpofes, is well known; still it may be ufeful to remark here, in regard to the birch, that, on fuch foils, it usually rifes faster, and hence overtops and crouds the other trees. When, as this happens frequently, in four or five years after planting, it will be proper to cut it down close by the ground, early in spring, which will occasion it to form several shoots instead of one stem; each of which, producing numerous branches, placed low, will form a very close shelter; -generally in the course of the first summer, they will rife to be as high as the trees they are intended to protect; fo that, early in the fecond, fuch plantations will appear to be rifing much more regularly, and better sheltered than before.

Perhaps no better proof can be advan- Preparate ced, of the want of a good method of of grown planting thin chalk foils, than the confide Fin cha rable losses in plants so frequently found face. upon them; and this fact again points out the use of some directions, in regard to replacing fuch failing plants. As ploughing is, in this case, out of the question, so the method that nearest approaches to it should be adopted; which is, to cut out the whole foil, (fward included,) where the trees are intended to stand, in circles of about eighteen inches diameter; and to turn these, with the grass downwards, into the same holes they were cut from, the time for rotting the fward, and the other circumstances of this case, should be the same which has just been detailed, with this difference, that, upon account of the shelter from herbage, &c. the plants may be larger, and they may usually be conveniently protected from drought and fpring frosts

cover the raw furface round them.

The method of preparing any foil that Love is deep and light, need not be long dwelt upon:-If the principles already advanced be duly attended to, it will not be difficult to discover, in regard to them, what may be proper; and the reverse for different fituations. Generally, it may be observed, that the more of vegetable matter there is found upon the furface, and the greater will be the advantages to be obtained from turning it in; -and certainly no means is fo practicable, in large defigns, as the ufe of the plough, followed by a crop of grain. In good foils, producing rank herbage, there is always great danger of fmothering the trees, except they are planted fo large as to greatly enhance the expence, and be in other respects improper. By using means to rot the herbage, we change what would otherwise destroy the plants, into a nutriment highly beneficial to them; in- Pupouch deed, by fo doing, they are foon enabled of soil. to rife above danger from fuch circumflances. It is true, that, under this procefs, we may fill expect fome quantity of weeds, but they would be fuch as would be much easier kept down, than a general crop of grafs, &c.

On lands light but poor, the quantity Sightfeldom great, nor is there much danger of the herbage fmothering the plants; and, therefore, the fimple method of holing, by turning the produce of the hole making, into that last made, will frequently prove the most proper as well as convenient. Undoubtedly there are perfons who wish to refort to the best methods only, without regarding the expence; particular fituations warrant an extra expenditure. In the bulk of cases, however, the fact is different; and, therefore, we best promote

infratation the business by duly attending to cheapness of work of method.

ght wil

As light foils do not require the operation of frosts to reduce them, so where there is no sward, or not many large or root weeds, it may be sufficient to only turn over (and break the soil where needful,) in the places where the trees are to stand.

The method of preparing small patches of ground for planting, by digging or formulationer; and, therefore, is only introduced here for the purpose of observing, that wherever such expence is thought necessary, the keeping the ground clean, for two or three years, or till the plants will, in a great measure, smother the herbage, will generally prove the same: for where quick

growth is effential, cleanliness of appearance is usually of consequence. Slight

crops of potatoes, with short tops; or turnips, may be admitted into such plantations with advantage, for two or three years, as they create a necessity for annually digging or stirring the surface, and tend very materially to accelerate the
growth of the plants. It may be objected,
that such crops must impoverish the soil,
and no doubt but such is the sact, so far
as common vegetables are concerned, but
as to the production of wood, it has already
been shown that its support depends, in a
great measure, on a different species of nutriment; and hence I could never observe
that such cropping damaged it materially.

The preparation of rocky foils proves for the general purposes of agriculture, are qualified to be highly productive in timber; and hence such little difficulties should

Deficiation never be permitted to stand in the way of

Jochy Soil .

It is of much less confequence than most people imagine, whether trees are planted regularly, fo as to cover the whole of the furface, or irregularly, (clouded,) as will often be the case on rocky ground; for, in either case, the whole of the soil will be completely occupied to a confiderable depth. Where we cannot plant regularly, upon account of the rocks, the trees should stand something closer than ordinary distances round them; because there all of them have an extra fupply of air, and most of them sufficient of soil. At planting, however unfavourable appearances may be, it is not possible to know what particular plant or plants will not ultimately thrive, providing foil enough can be found to cause them to grow in the first instance.

The holes in fuch ground have generally been made by the alternate use of the spade and mattock, a very tedious pro- sochy So cess; in lieu of which, I have, for many years, made use of the latter only, the tool being peculiarly adapted to the purpose, (see the frontispiece;)—the sward being taken off as thin as possible, with the broad end, and the foil loofened in the hole with the other, instead of taking it out and laying it on the fides, in the customary manner. In this operation, the larger flones are taken out, fo as to leave broken foil in the holes, fufficient in quantity to plant trees, of the intended fize; generally a fmall one.

Where few stones are found, the soil left will usually fill the hole; where there are more, it is frequently left hollow, as on light open soils;—it is of little consequence whether the trees be placed level with the surface or not, so as they have

(a) In good ground the stade only should be used.

Pupartue but a sufficiency of soil to grow in. It forum must also be observed, in regard to this why process, that no regard is paid to buryfoil. - ing the herbage, as it usually proves of a nature that would not speedily rot; hence after much trouble in regard to it, it would be found to confiderably incommode the business of planting.

It may be observed besides, that where light foils are fo fertile as to produce herbage that will readily rot, that foil alone will be fufficiently fertile for trees to thrive In fhort, by keeping the mattock tolerably thin, the herbage is taken off with very little foil adhering to it.

Frequently, in making these holes, the fcarcity of foil renders it necessary to break down more of fome fide or fides of the hole than was first bared, in order to increase the quantity of earth; in this case, little regard is paid to the furface herbage

as the tool to be employed in planting will readily separate it from the soil, after the latter has been exposed to the winter's frosts. If, in making a hole, a stone be sound too large to be readily taken out, it may be left in, and the hole made to one side of it; regular distance being, as before intimated, found to be of little consequence.

In preparing the fides of steeps, the dides of herbage is found particularly useful in steeps. In forming a fort of buttress to support the foil; as here it is of importance to plant trees on a level, in order to hold the water in its descent. In this case, it is not so necessary to pare the herbage thin, as on levels; for the greater part of it gets covered so as to rot, and soon becomes beneficial to the plants. Perhaps no situations, inaccessible by the plough, can be so effectually and cheaply prepared for planting as precipices; seeing a quantity of soil is very readily moved, by working it down the hill

v

the trees, large enough for the roots to formation the trees, large enough for the roots to formation freely, and likewise to retain the moisture; hence the only disadvantage of such steeps, so far as planting is concerned, may be easily obviated.

On foils at once stony and heathy, (a case very common,) the mattock proves peculiarly serviceable, in moving the one and cutting the other; matters extremely dissicult to be performed with the spade; certainly, without the use of some such tool, the expence of planting, upon many situations, would be greatly enhanced. It will be observed, that, in preparing heathy soils, the method is just the same as on rocky ones; the heath being struck off as thin as possible, and the soil stirred and left in the hole.

In closing the subject of preparation,

I would observe generally, that every soil,

The heat much and he can in the side:

a, the and he would will 2d for 20 years.

being broken up, fome months previous of grant to planting: on stiff ones, the reason of this operation is obvious, frost is necessary to be planting a light one, which has been long broken be truly, retains moisture better than one newly in aut done, but the sact is well known; and, breezed therefore, though no advocate for early observed planting, I am decidedly so for autumnal preparation, in every case where it is convenient.

The distances proper for forest trees to Distance be planted, have been much the subject proper of discussion; on this head I have had but plants one opinion, for many years. In general cases, a distance of sour feet is certainly close enough; as, at that space the trees may all remain till they become saleable; as timber, rails, spars, &c. are of considerable value every where; the wood only in some places. Where the produce, ne-

Poplar- pa. 76. - The order should not be in right angis, - Thus

of confiderable value, there is little danger of this business being neglected. Where it is of little, the reverse proves almost constantly the case; sew men can set about thinning a plantation, which is not likely to pay well for the trouble, without considerable reluctance.

Fues
3.560
Another strong objection to thick planting is the extra expence thereof;—at three

feet apart, an acre requires 4840 plants;

than two fifths; or thus in the latter cafe, three pounds will plant more land than

five in the former; the difference is indeed 23

435 fo striking, that, unless better arguments 24

360 be advanced in support of the former dif-

tance than I have yet heard, I shall conti-

26

29

30

31

33

2 257 nue to be an advocate for the latter. 4 222

It is admitted, that elevated exposures should be an exception to the rule, but

other, at any particular distance from each other, let the distance from hee to hee her multiplies into itself for the divisor, oleh

how many trees will stand on an

1 165 7 even here I consider three seet distances as too little, because, by standing so close, he the plants foon destroy each other's branches; hence, when we begin to thin, we find the removal of every tree makes an aperture which there is no means of repairing. At three feet distance, the plants will stand about one fourth closer than at four; and, from repeated observations, it appears clear, that few forest trees grown closer, will be strong enough to stand erect in exposures. I, therefore, see no reason to recommend planting at less than the fortimate dichance - See In regard to the fizes of trees for planting, the particular cases have been mentioned where very fmall ones would be proper: the best general rule is, to proportion the fize of the plants to the goodness of the soil; the best of the latter

30

Answer. Thus—143560(272)

acre as the divisind . - The product in

requiring the largest of the former. Still glads on bleak exposures this rule will not hold good, as there the plants should never be large, for otherwise the greater part would fail from the circumstance of wind-waving, and of those that succeeded, sew, if any, would make much progress for several years: firs of a foot, and deciduous trees of eighteen inches, are large enough for such places, if the ground prove but indifferent, and have no shelter upon it; but if it be good, so as to produce strong and tall herbage, plants of somewhat larger sizes should be admitted, as those of the smaller size would be in danger of being smothered.

However as, in planting large defigns, foils which are good and well sheltered but seldom occur, the most useful fizes of plants, for general purposes, will be the same just noted: viz, sirs of a foot, and deciduous trees of eighteen inches. When mentioning the sizes of trees, it should in planting seedling oaks-seel. Hunter! Culyn

always be understood of transplanted ones; Ligo of because, in at least nine instances in ten, Plants. such are stiffer and better rooted than seed- Lample lings: still it sometimes happens that, in Letter was consequence of a thin crop, seedlings may than less have every requisite good property, and so far there is no objection to their use.

It may be observed too, that none but Advantigood rooted plants will succeed on a bad foil, while, on a good one sheltered, none but very bad rooted plants will fail; a large plant never has so good a root, in proportion to its size, as a small one; and hence we see the propriety of using such on good foils only. For instance, we cannot use large plants on stiff soils with any reasonable hopes of success; and the chance is still worse if they prove likewise exposed; as neither case affords the means of speedily surnishing the plants with roots that will have a regular proportion to the size of their heads;—hence the cir-

Size of culation of the fap is impeded, and the Plants plants become stinted in growth; under which circumstance, it not unfrequently happens, that the fmall quantity of fap furnished by the roots, instead of ascending to the tops, to furnish leaves and shoots, breaks out into fprigs, by the furface of the ground; a clear proof of the impeded circulation just noticed.—Small plants, on I make the contrary, lose but few of their roots Islants. in removal; therefore, though planted in very moderate fized holes of pulverifed earth, foon find the means of making roots, in proportion to their heads. Befides, fuch are in fome degree sheltered. In fhort, it should never be forgotten, that as, in being removed, a plant of two feet loses a greater proportion of its roots than a tree of one, and one of three feet a greater proportion than one of two, and fo

> on, in proportion to its former strength and height, so the larger the plants, so much greater is the state of languor or

weakness into which they are thrown, by Advantation to that state of weakness, should be our efforts to restore them to their usual health, by such means as choice of soils, preparation, shelter, &c. If we can, indeed, manage at the outset, so as to restore to them what may be called a good constitution, they will generally, afterwards, be found able to contend, not only with the boisterous elements, but an unfavourable soil.

In regard to the fizes of holes for trees, it is to be observed, that, on light soils, completely broken up, the hole is large enough that will hold the roots of the plant, when extended; on stiffer soils, a few inches more room is necessary. In both cases it is to be observed, that some benefit would arise from having the holes made early in winter; still that benefit will be in proportion to the tenacity of the

racity

Would recommends holes to be du

holes should be of the su nd of youth being foil; on stiff ones, for instance, it will be of of holes. much advantage, on fands of very little. On lands not broken up, it is obvious · ference a large hole must be, in every case, an advantage; but much greater on stiff than light ones. A large plant requires abundantly more space, beyond its roots, than a fmall one, the difference may be as much as from two to eight inches. Depth alfo is of much confequence, where the general depth of foil admits of it. Still we have no business to penetrate lower than the ftrata in which the trees will grow: On stiff ones, abundance of mischief is often done by this means; as it includes the double disadvantage of putting the roots of the trees, and the best of the soil, into a hole capable of holding water, both of which lead to confequences fo obvioufly at variance with the fuccess of the plants, that, I trust, it need only be mentioned to be avoided.

At Mangham Wortey recommends the les to be made in October for planting Month, where circumstances do not

On the whole it is evident, that holes fretain moisture, in proportion to their fize and depth; and, therefore, except under particular circumstances of difficulty, small ones are never to be recommended. As to the form of holes, it is to be noted, that they should always be round, and widest at the bottom,

It will be observed that, in the general, Antenna I am an advocate for early or autumn preparation of the soil, with spring planting; from a sull conviction that, provided the former is duly attended to, but little of loss would happen under the latter. It is true, that where the former is neglected the case proves exactly the reverse, and most generally from the circumstance of drought, in consequence of the soil not being duly mellowed by the winter's frosts.

Sometimes, however, loffes happen from the plants being dried, by being long

out of the ground; a matter always to be avoided as much as polfible. That, however, cannot be done completely when they are procured at a diffance; and, there-Fore, when fuch arrive and appear rather dried, the best method is to puddle their roots, previous to planting: if they feem Sovery much dried, it would still be better to lay them in the ground, for eight or ten days, giving them a good foaking of water every fecond or third day, in order to reflore their vegetative powers; for it well deferves notice, that a degree of moisture in foil, sufficient to support a plant recently, or immediately, taken from the nurfery, would, in the case of dried ones, prove fo far infufficient, that most of them would die in it.-The puddling here recommended may also be of great service in all cases of late planting, where small plants are used: my method is (after puddling,) to tie them in bundles, of two or three hundreds each; and thus fend them, by a cart load at once, to where wanted; where substituted bundles being fet upright, close to each other, and a little straw carefully applied to the outsides of them, may remain without damage in a sheltered situation, any reasonable time necessary to plant them. Where loose soil happens to be convenient, that should be substituted in the place of straw.

A puddle for trees is made by mixing water with any foil, rather tenacious, fo intimately as to form a complete puddle, fo thick, that, when the plants are dipped into it, enough may remain upon the roots to cover them.

The process of puddling is certainly simple, and its expence too trisling to deferve notice: its effects, however, in retaining, if not attracting mosture, are such that, by means of it, late planting is rendered abundantly more safe than it otherwise

Sage, the expense of planty an aire of say fla at 4 feet interonlo would be forchim of plants/13. of (vay) poplar a' b feet Publing would be. It is an old invention, and hence it is truly aftonishing that it is not more frequently practifed. If we could but perfuade people to adopt it generally, in fpring planting, I believe the prejudice in favour of autumn practice would foon be done away. It is truly aftonishing how generally and ftrongly that prejudice prevails; I, therefore, beg leave to observe here, that it is advisable only in few cases, while fpring planting may properly apply to all. In fhort, the nature of the bufiness is such, that a great proportion of it can only be well and fafely done at that featon. - he laker end of February and ale The common method of planting is fo far known to every Gardener, that little need be faid upon it here. It may, however, be necessary to explain what may be called a good one.-The root of the plant is to be dreffed, by shortening the straggling, and taking off the broken roots:-M. Ponty says, any good common below will freat 1500 rootes heer, by this method, in me: aunding & when your him Lay, without any afrita

Clarking — (ha. 174) — 2

i.e. Johnson — 6.

The hole is then to be made ready, by Methors

The hole is then to be made ready, by Mellow either taking out earth, or putting it in, of plant is then to be placed in it, with two or three inches of the stem beneath the level of the surface; the best or finest of the foil is then to be put to the roots, and distributed amongst them, by shaking the plant; in which operation, it should be drawn up so

as to stand very little, if at all, deeper than it did in the nursery; the rest of the soil is then to be put in, and the plant fixed firm and set straight with the soot; after which leveling the surface completes the business.

Two things, in regard to the above practice, I have frequently observed to be mismanaged, viz. the custom of planting too deep, and a bad mode of fastening the plants. When I observe a quantity of plants thriving ill, where the appearance of the soil is favourable, I generally suspect the former, and have frequently found

A much more vimple & expeditions moderal blanting is described by D. Hunta 1 le.

lilva pe. 77.82, 1/10 seedling plants. 1.60.4, 12.75.62. & 290 of 2. Estion. Methos several inches of stem within the surface filoution the ground, and the roots of the plants beneath the best part of the soil; a matter no otherwise completely curable than by replanting. The other circumstance arises chiefly from gardeners being little habituated to any but garden practice, and hence on fomething like garden foils they perform pretty well; on fands, however, they generally leave the plants too loofe, and on stiff foils usually fix them too fast;—the truth is, we can fcarcely tread the former too much and the latter too little, fo that the plants, if fmall, will refift the wind; and as to large ones, they should be staked in preference to hard treading.

Having, for nearly twenty years, adopted, what I may be permitted to call, An improved method of Forest Planting; by means of tools invented for the purpose, (see the plate;) it will be necessary here to explain, in some degree, their forms

Lee an expedition, mode of planting with a grandle to be. Ty

and uses:—The first is a mattock, made Method particularly light, with one end about of heart four inches broad and thirteen long, from the centre; the other a pike, its length about seventeen inches. The use of this tool on heathy, tough, slony soils and steeps, has been already described, (see P. 159—162.)— On good Which soils, the space must superson it. Jupa. 170.

The other tools are called planters, the forms of which may best be seen by the plate. No. 2, is a fort of hack or hoe, of the length of eight inches from the eye; the face or edge four and a half broad, and the handle twelve long; the heel or part behind the eye is made stronger than the other parts of it, in order to act as a maul, in breaking such clods as may be necessary.

No. 3 and 4, have been introduced of late years, as improvements upon the foregoing; being better adapted to foils

i.e. in lien of Nº2. hey cannot supresse Nº1. - Ans Nº1. alone would answer for preanting seedings. C. S. See pa. 159. No. 5, is a fection, to show the form and strength of the prongs applicable to No. 3; one of the sides being to be inwards, or towards the planter.

It will be observed, that these tools are chiefly applicable to plants of any size up to about two seet, or such as are generally

W! Contey recommends A: 3 for believing at Slaugham.

used for great designs, where they are used Method as a substitute for the spade, in the follow-of plants ing manner. The planter, being provided with a basket holding the plants required, (the holes being supposed prepared, and . Tooks. the earth left in them,) he takes a tree in one hand, and the tool in the other, which he strikes into the hole, and then pulls the earth towards him, fo as to make a hole large enough to hold all its roots; he then puts in the plant with the other and pushes the earth to its roots with the back of the planter; after which, he fixes the plant, and levels the foil at the fame instant, with his foot; so that the operation is performed by one perfon with a degree of neatness and expedition which no one can attain to, who uses the spade. It is known to all planters, that but few labourers ever learn to plant well and expeditiously, in the common method, without an affistant:-This method, however. requires neither help nor dexterity; as

The facility with which these tools will break clods, clear the holes of stones, or separate the soil from herbage, the roots of heath &c. (the former being previously mellowed by the frost,) may be easily imagined.

helter

In the foregoing pages, many observations have been made on the different species of trees, best calculated for the purpose of sheltering or nursing each other, so far as the general prosperity and value of plantations are concerned. We proceed next to treat of shelter, not only as it relates to the above objects, but, as it may be made subservient to the improvement of property generally, as well as the immediate vicinity of a family mansion. Here, however, I find two circumstances completely different in their nature, so intimately connected, that it feems the most convenient method to speak of them to-gether.

Every one, who has any distinct ideas Sman of the nature of trees, will readily agree Ashelta that they are capable of producing what all the intelligent part of mankind allow to be of the utmost value, viz. ornament and shelter; -they are indeed so inseparable, from their nature, that it is almost impossible to plant a large number without, ultimately, producing a confiderable degree of both: - The fact is, that a thriving plantation, however mifplaced, becomes, with the bulk of mankind, an object of regard, approaching almost to veneration; perhaps the idea of utility, infeparably connected with fuch objects, goes far in stamping the impression.

If fuch then be the effects of trees, as operating upon the human mind, without

elter.

regard to arrangement or propriety of fituation, we are not to wonder at the aftonishing effects they are capable of producing, when every mass, group, clump, or individual tree, has its proper place and station, and when their species, and even forms, are made subservient to these purposes: for then it is, and not before, that we fee what a great professional man would have properly called their natural " capabilities."-The modest mansion and the fplendid palace are equally indebted to their aid; for when the architect. the mafon, fculptor, painter, and the numerous professional train, usually employed in decorating manfions of affluence, have exerted their utmost efforts, the whole, without trees, may be compared to a beacon upon a hill; an object to be looked at, but not enjoyed, except by perfons who do not share in the common feelings of mankind.

To fay, in how many ways trees con- Improve tribute to benefit a country refidence, ment of would lead me far beyond my prefent object; I shall, therefore, only just briefly notice a few of them; as, first, they add greatly to the ideal fize and confequence of the mansion itself; suppose, for instance, a house to stand so as to be seen in common with other buildings, distant hills, the sky, or any object larger than itself, its height and dimensions will be apparently reduced by being fo contrasted. On the contrary, should trees be introduced between the building and fuch objects, fo that the eye is in a measure confined to the contemplation of the former only, it immediately appears increased in beauty, fize, and comfort.

Secondly, the shade and shelter afford- shade ded by trees may, if rightly managed, be shelter. made to give, what may be called, a new atmosphere: They will, as far as necessary,

haded equally exclude the impetuous blast and the fcorching ray; and thus it is that they contribute to health, by inviting to the enjoyment of an invigorating excursion, in every feafon, not unufually intemperate.

Ti reen.

Thirdly, trees may be generally made the means of *fhutting in* fuch objects as appear defirable, and of shutting out the reverse. For instance, if the view from the manfion commands fome beautiful grounds, trees properly arranged will generally lead the eye fo far to these objects, as to give them a force or expression before unobserved; -and the same observation will apply to water: a finall piece, by artful management, in concealing the terminations with trees, may often be made to appear as a continued river.

Fourthly, by means of trees, the apparent fize of a lawn may generally be confiderably increafed: not certainly by planting a continued belt round it, as is very commonly practifed, but by bold projections and breaks, fo managed that the ground may appear to continue through the latter. Frequently, by the skilful use of such means, lands not the property of the same proprietor may be made to appear part of the demense.

Such then being a part (certainly but a fmall one) of the ways in which trees may be made to benefit a country refidence, it clearly behoves the proprietors of them to confider how fuch objects may be obtained with certainty, for they are not the fruits of chance, but means; and fuch means must be proportioned to the end. It is not the study of painting, the art of drawing, or a facility of writing large treatises, that will qualify a man for the creation of the fort of rural scenery just adverted to; nor can the professional gardener, whose life has been principally devoted to far different

perience; one, in short, who has a head to plot and a hand to execute, not only the great and essential, but even the most minute parts of the business.

The works of an ornamental gardener, who rests in theory only, may aptly enough be compared to base coin, it may look well and even pass for a time; by and by, however, it wears worse, the copper is seen through the filver, and that again assumes the place of the gold; the proprietor laments his loss, and so may, with good reason, the owner of an ill planted shrubbery, while the designer adopts the poets piteous lamentation. "Vegetation spoils "every thing;" which, by the way, only proves that he could abuse what he did not properly understand. The truth is, that, as such designers do not know the

proper fituations for the different species consequents, that business is left to accident, of want and hence most of them prove misplaced; while of course, the planting gets gradually into disorder, in much the same proportion as it would have improved, had it been properly executed.

To instance one of the many respects, in which the works of such designers get annually worse, I may notice the case of screens. In the immediate vicinity of a house, such things are peculiarly desirable; and yet very generally mismanaged. In the course of a few years, we usually find what should continue a close one, possessing the properties of shade, shelter, and retirement, degenerate into an open grove; and hence, both its character and use are in a great measure lost. Nor can this be wondered at, if men continue to plant and treat both in the same manner only.

A little observation may ferve to convince us, that every fercen must degenerate, in the way just noticed, if part of the plants composing it have not the properties of growing bufhy, of retaining their branches very low, of producing closer heads on being pruned, of shooting afresh from the ground on being cut down, and of growing under other trees. Nor can any screen long retain these properties, except they are carefully promoted and encouraged, by frequent attention. Of course, a screen should consist of three descriptions of plants: viz. trees proper for principals, for underwood, and for the fronts.

As all the grounds, to be planted in the immediate neighbourhood of the manfion, should be prepared by trenching, or digging at least, so the principal trees for them should be somewhat large; if they differ as much in height as from three to

eight feet so much the better, as these Skreen with the underwood, which should differ in height from three feet to one, would collectively foon exhibit a closeness of bottom and a lightness of summit; circumstances without which such screens can never be more than in a limited degree either useful, BEAUTIFUL, THRIVING, or LASTING.

It should be remarked, that, in plantations of this description, trees which form very close heads should be sparingly used as principals: the fir tribe for instance, should chiefly be used near the verges least feen, and more especially where the fcreens are narrow; as there they should be rather dark; for otherwise we lose much of apparent breadth. But it is to be noted, that though fuch verges should be darkened, this method would have an extremely bad effect, were the close heads of fuch trees to rife fo high as to exhibit a

that would reduce the apparent breadth at any feason, by bringing forward the distant outline; the effect, however, would be much the worst in winter. Still perfons need not be asraid of using a moderate quantity of firs, as principals, in such places; because, where they are allowed tolerable space, they seldom rise so quick as the bulk of deciduous trees; and should too many appear, some of them may be taken down in preference to other species, when thinning becomes necessary; so that the effect alluded to might be completely avoided.

Prefuming that an equal quantity of principals and underwood make an excellent proportion of plants for a fcreen, the method of planting them will be found very eafy; as the fize will fufficiently mark the diffinctions. If the whole ground is holed, fo as to plant at three feet diffances,

and half of these are planted with each description, the plants would ultimately stand at regular distances. It is not intended here to distate what proportion of each individual species should be made use of, or how mixed, but certainly a regular mixture of either principals, underwood, or front trees, would be one of the worst that could be adopted.

The lift for underwood may comprife all or part of the following; First,—beech, hornbeam, lime, oak, and common thorns, of about two feet high; as these will bear to have their heads reduced occasionally, and will spring afresh from the ground upon being cut down.

Second,—Birch, horse chesnuts, mountain ash, and laburnums of two seet:—these shoot freely on being cut down, but become unsightly on having their heads reduced.

Third,—Spruce and filver firs of one foot,—these will grow under other trees where the cover is not very close, and may be made to form broad bushes, by frequently mortening their leading shoots.

Fourth,—Common hollies, laurels, box, and privets, of a foot high:—the general properties of these are well known; all of them grow very well under trees, more particularly the three former.

In planting of fcreens it will be neceffary to leave two ranks of holes, in the principal fronts, open; in the first place, in order to be filled with front plants only.—For which purpose, the foregoing list of underwood will all be proper, with the addition of areatheaphrasti, ornamental thorns, golden willows, &c.—as these, collectively, could not fail to form that closeness and variety of front, which is always desirable, but very rarely seen.

Possibly some persons may suppose, Shreethat such methods would be particularly expensive:—the fact, however, is otherwise; for it is to be recollected, the number of plants would be the same as is commonly used; three seet being the usual distance for such purposes: mean time, only half the plants need be large, or of the common sizes.

If the plants for any given defign, planted in the usual method, be supposed to cost twenty pounds, we may, by that rule, estimate the expence of the improved one, as under:

TY IF Col. 1 and 1 december 1	5.	d.	
Half of the plants being of the ufual fize and value	٥	0	
One eighth of them double do 5	0	0	
Three eighths of them being of half the common value }	15	o	
			-
£ 18	15	0	
4			

kreen.

Here we fee that, after making ample allowance for fuch plants as are of more than common value, a perfect ornamental and lafting screen, possessing every defirable property, may be planted for less than what is usually devoted to one which proves completely the reverse; and the circumstance is the more provoking, as mifmanagement of this fort is rarely difcovered till it is almost impossible to retrieve it: prevention is faid to be better than cure; in this case, it certainly is abundantly less difficult. The former requires nothing but what is eafy, it is only fubflituting a good method in the place of a bad one. The cure can only be effected by much time, considerable labour, fome skill, and not a little expence: still the worst of it remains to be told; it requires a facrifice of trees, too confiderable for most perfons to fubmit to, without the utmost reluctance.

When we confider, how much the ar-chaguner rangement of the grounds and trees about in factors a place contribute to its embellishment of the and comfort, and, of confequence, its intrinsic worth; one cannot help wondering that a science which embraces such important objects, should be still so much enveloped in mystery. A bad design is often quite as expensive as a good one; and hence gentlemen could have no inducement to adopt the former in preference to the latter, if they had any criterion or rule, by which to judge of the merits of the one, and the desects of the other.

That this art may be traced to certain and fixed principles, there can be no doubt. If the same means never fail to excite pleasurable sensations in the mind of intelligence, it appears that such principles rest upon a basis much deeper sounded than the sashion of the moment.

The truth feems to be, that, for near a camentercentury, taste in ornamental gardening has been constantly verging towards nature and fimplicity. The best scenes in uncultivated nature are clearly our best models when working upon a large fcale: and, even upon a fmall one, we have no businefs to completely overlook them. Thefe fcenes may be fimple; as where the gratification arises from the contemplation of one fort of object only, as the ground, water, trees, or prospect: or they may be compound, or fuch as arise from the combination of two or more of them;-generally artificial fcenery proves of the latter description.

As it will not be difputed, but that the feenery alluded to is calculated to captivate alike the untutored and the cultivated mind, it follows, I think, of courfe, that we have here, what may be called, the basis of a taste founded on nature. It

will not, however, be fufficient to discover, that such scenery pleases in the gross; yes as in that state it can rarely be the subject of close imitation; and, therefore, it will be necessary to distinguish correctly, how far each distinct cause contributes to the general effect.

It cannot be disputed, but that an intimate knowledge of the means, by which the best effects are produced in natural scenery, is necessary to combine them in what is purely artificial. In fact, where the most of art is exerted, there nature will ultimately appear most of all predominant.

I do not here mean those combined exertions of art and labour, which frequently go the length of altering, what may be called, the genius of the spot, at a prodigious expence; but that art which can as it were seize upon existing circum-

flances, and, by flight additions, or curmental tailments, made at a small expence, conwert them into what will, at once, harmonize with, and improve, the natural
features of the place. Certainly a propensity to more of alteration than is abfolutely necessary, is no proof of either
taste or skill, but the reverse. A taste for
expence is one that ought to be sincerely deprecated; whether it exists in the
proprietor or the designer; as it serves to
deter persons, of moderate fortunes, from
engaging in improvements that may be
absolutely necessary.

Still the greatest of all discouragements to improvements is, the ignorance of the bulk of those who undertake to conduct them.—Undoubtedly, there are many exceptions to this remark: we see the men in their works; but, by that rule, which all must allow to be an unerring one, we may fafely pronounce it to be applicable

to a great majority of the profession. - Shirts o The truth is, they grope their way in the dark; and hence, if they miss it, it is what "andene might reasonably be expected: all we can look for from them as original, is a fomething, which nature and propriety must equally difown; or a clumfy imitation of fome PLACE they have feen.—Perhaps, as matters are circumstanced, it may be rendering an effential fervice to gentlemen, to furnish them with a rule, by which they may, in some degree, measure the "capabilites" of fuch perfons as may be introduced to them in the above capacity.-The method might be fomething like the following:

After ample time has been allowed for observation, the person should be requested to explain the reasons for every distinct projected alteration, and how far each was to contribute to the general effect. He should, likewise, be desired to state the

effects speedily, by planting, and how they might be made lasting wherever desirable; as there is nothing in the above but what every practitioner either has, or, at least, ought to have, clear ideas of.

I am confident, that there is not a man in the profession, who deferves employment, that would not go through the ordeal with ease to himself, and in a manner that would convince every one, that he liad, at least, studied cause and effect, so far as applicable to his profession. He would eafily be able to make the diffinction, between what might be called the great and what the inferior natural features of the place; and also show, in some confiderable degree, how far each might and ought to be worked upon to advantage; and, in doing fo, he would conftantly keep in mind what was practicable in itself, and confistent with the general circumstances

of the place.—But easy as all this would (zname) be to the man of science, to the mere co-fordening piest and dashing adventurer it would, indeed, be a task, in the performance of which, their deficiencies would be plainly manifest. The difference between the reports of fuch persons, and that before mentioned, would fufficiently mark their different attainments: the former would dwell principally upon matters peculiarly applicable to the place, the other on what would be as applicable to any other: the former would tell us. how the work was to be done, and what species of trees to be planted, and where; the latter would content themselves with talking about fuch matters generally.

Having faid thus much, on the uses of trees, as applicable to the immediate neighbourhood of a mansion; and, likewise, hinted at some common circumstances of mismanagement, I may now advert

etyatia.generally; more especially to lands at once of the the country extends, hibits many very extensive tracts.

gricul

Some people feem greatly alarmed, least the business of planting should be so far extended as to intrench upon agriculture; the danger however, I conceive, lies entirely on the other fide; for, though an old planter, I have never known much land devoted to planting that was of confiderable value for corn or grafs, except fo far as taking a part to improve the reft, by shelter; a species of planting which, very unfortunately for the country in general, and its agricultural interests in particular, has been but little practifed; perhaps fearcely thought of till within the last forty years; and which, to the prefent moment, is not practifed to one hundred part the extent it ought to be.

If any one, inclined to doubt of the fraum truth of the above strong affertion, has an opportunity of vifiting Stanmer, near Brighton, in Suffex, the feat of Earl Chicester; or Sledmere, in the east-riding diana of Yorkshire, the seat of Sir M. M. Sikes, I am perfuaded he will find reason to think with me, that instead of detrimenting, planting may be made to materially promote the interests of agriculture. Every fituation that is elevated and bare is, in confequence, less or more barren; the Woulds and Downs, which certainly include no inconfiderable proportion of the culturable lands of the country, come very generally under this description, It is admitted, that they are productive in their prefent state; but certainly that produce would be abundantly increased, were they properly sheltered by planting.

At the two places just mentioned, the business of shelter has been worked upon

by planting to an extent, and with a degree of judgment, of which I have feen no parailel effewhere:—indeed, with me, it is a question, whether the immediate descendants, or the country in general, are most obliged to these truly noble minded perfons, the late Earl Chichester and Sir Christopher Sikes, who projected and executed these equally splendid and invaluable improvements? The former will, I understand, in consequence, have a pillar erected to his memory by his noble fucceffor. I have not heard that any thing of the fort is intended in regard to the latter; but so much is certain, he has well deserved fuch a tribute of respect.

Of the value of these plantations, as shelters, as ornaments, and as producing timber, I do not pretend to speak; further than that it must be prodigiously great; nor is it possible to estimate their worth, in the way of example; he must indeed be

a cold-blooded mortal, who can contem- Abram plate fuch united utillity and magnificence, if skrew without feeling "how low, how little" to cultivare most of the earthly pursuits, which so feeler generally engross men of rank, in comparison of the elevated, I had almost said, the sublime science of planting.

The manner of planting general fcreens may be much the fame as in the neighbourhood of the manfion, only rejecting the dearer species of plants. As here regard must be had as well to the future as the present, a moderate quantity of the following articles should be introduced as principals, wherever the foil proves suitable, viz. oak, beech, sycamore, and the English elm, the last being grafted. The ash should never be admitted into any other than broad screens, it being a bad shelter, and a worse neighbour.

As enough has been advanced, to exlituate plain what is necessary to the formation of the most perfect screens, I need here only refer the reader back to the subject, recommending him, at the same time, to attend particularly to what has been advanced, in the sormer part of the work, on the properties of the larch, spruce, and Scotch firs; as, by the proper use of these, most situations may not only be completely sheltered, but the screens rendered highly productive in timber produce.

It may be of importance to observe here, that screens, planted for the purpose of sheltering lands of inferior value, should by no means be narrow ones; for though it may be possible to preserve them complete shelters, it can only be done by such continued attention as can scarcely be expected in large concerns: nor is it possible that either the principal trees or underwood should thrive so well as in broad

mains to be noticed:—Such lands may generally be as profitably employed this way as in any other, frequently more fo: befides the fencing of the two fides of a fcreen, whether it be twenty or a hundred yards broad, will be precifely the fame. Of course, narrow breadths must be the worst kind of policy.

The value of broad ones, as covers for game, is too obvious to need comment.— With most gentlemen, the protection of game is a matter of much importance.— Broad belts, partially cut down, from time to time, so as to produce a constant supply of underwood, are peculiarly calculated to encourage the breed. In short, the same means that will shelter the land, will also shelter the trees and game: and, with all these pecuniary advantages, they are beyond comparison the most ornamental. A narrow belt, on the summit of a hill, com-

none of the properties of a shelter, but the reverse: it is indeed but little ornamental, and less useful.—The proper situation for such screens will be, in some degree, obvious. Generally they will be most effective on the summits of hills. In most places, it is known from what quarter the wind blows most violently; generally from the west:—the rule, however, admits of many exceptions; and, therefore, this point should be clearly afcertained, in the first instance; when the direction of the planting will follow of course.

Confiftent with what has been advanced on planting steeps, it will be found desirable, that the line of the screen to windward, should be as near the summit of the steep as may be found convenient; as, by that means, much of the current of the wind will be thrown rather over, than in among the trees; and hence they will

thrive better than if the line was lower in threen, the afcent.

When, as fometimes happens, the current of the wind takes the direction of a valley, it is peculiarly prejudicial. In fuch a case, the line of the screen must be across the valley, from the fummit of one hill to that of the other: and, if fuch valley continues to ascend for a considerable length, a fecond fcreen may be necessary. It is not faid that fuch things rank high as ornaments; but they may frequently prove extremely useful.

Where it is necessary for a road to cross the screen, it should either be turned about half a point from the direction of the current, or be made to bend fo far that the wind, driving in a straight direction, will lofe its force among the trees. It is almost unnecessary to add, that such roads should be no wider than what is abwould not only hurt the general effect, but also occasion a degree of exposure. In narrow ones, by a little attention, the trees may be made to arch over at any given height; so that a matter of convenience may be made productive of variety.

In closing this subject, I may observe, that not only elevated situations require shelter, but any bare one may be greatly benefited by it. Any one, who has clear ideas of agricultural affairs, must know that it is highly valuable; but none who have not experienced it, can justly estimate its extent. The best proof, that I can advance, of its worth, is the opinion of the noble possessor of Stanmer, before mentioned. This attentive observer has himself affured me, that, in consequence of the shelters, he considers many of his fields of three times the value they otherwise would be: while others, not so fa-

vourably fituated, appear evidently to be herein benefited in proportion to the shelter. Cashio. Neither is there much danger of missake in this respect; as the estate is large, and affords numerous situations shill exposed, the natural circumstances of which correspond exactly with such as are sheltered; and, therefore, the rent each would let for, clearly ascertains the value of the shelters.

I have been the more particular on this head, because it appears this part of the subject is more imperfectly understood than most others. Indeed, from a pretty extensive knowledge of what is doing in the country, in the business of planting, there seems to be abundantly more need of directions than incitements: and the better a person understands the subject generally, and that of screens in particular, so much clearer will be his views of the general utility of the pursuit.

It is certainly a matter highly confolatory, to find so considerable a number of high, opulent persons, in different parts of the united kingdom, exerting themselves to provide a fupply of timber for our increafing wants; and more particularly fo, to find the prejudices, in regard to fir timber of home produce, very much upon the decline. If it is true, that we can grow fuch timber, proper for every purpofe to which the foreign has ufually been applied, it is furely matter of national difgrace not to know it; at least, the circumstances of the present moment imperiously demand, that the question should be determined, yea or nay.—In the prefent publication, as well as in the "FOREST "PRUNER," it has been a leading object with the author, to affift the reader in forming just ideas on this subject; and perhaps the famples, prefented with this treatife, may, in some degree, tend to the fame good purpose. Indeed I suspect, that if many of those who are most active famples in depreciating British produce, were called upon to examine these samples, without knowing them to be such; they would find themselves in the situation of the woodman, mentioned in page 62. But thus it must always happen, so long as men are content to take their opinions upon trust.

The practice of confiding in commonly received opinions, without examining either their truth or tendency, is what the author has never adopted; because he is fully aware, it tends to the exclusion of every idea of improvement; he believes it is to a conduct directly the reverse, that he is indebted for whatever success has attended him, either as a professional man or as an author; and hence, upon the present occasion, he has strictly persevered in it. He can, at least, say with considence, that he has done his duty, in using

his best endeavours to elucidate the principles, improve the practice, reduce the expence, and increase the value of general planting.

I have just been favoured with the QUERIES of the Commissioners of Woods and Forests, (dated the 21st of Dec. inst.) "relative to the Cul-"tivation, Management, &c. of Navy Timber," inclosed in the following Note.

Sheffield-Place, Dec. 24, 1807.

Lord Sheffield is requested, by Lord Glenbervie, to forward the inclosed to the persons best acquainted with the management and growth of timber trees, and therefore sends it to Mr. Pontey.

As his Lordship has adopted the Author's System, of managing his Oak Timber, probably the finest in the Kingdom, the above Note will

be fufficient to exhibit his opinion of the Forest Pruner; and, therefore, the Author has only to express his fincere satisfaction, that Government now sees the necessity of some measures to encourage the Growth and Improvement of Oak Timber. It is, indeed, the more pleasing, because the necessity for such measures has not only been pointed out by himself, but, enforced by arguments, that he presumes to be unanswerable, in the above work, (published in 1805,) p. 262—270.——The book is of itself a satisfactory answer to many of the Queries alluded to.

POPLARS.

Mr. Liddell, Agent to Sir Thomas Pilkington, of Chivett, near Wakefield, has just favoured me with the following particulars, which I confider of much importance; as, while they demonstrate the quickness of growth, they also prove the peculiar propriety of using means, to ascertain the useful application of such articles.

A Black Italian Poplar, planted in Mr. Liddell's Garden, at New-Miller-Dam, near Wakefield, in the spring of 1799, and then only six seet high, is now thirty-eight; the Trunk being twenty, and the Top eighteen fect. The average Girt of the former being twenty-four Inches. This tree loft about feven feet, from its top, in the fummer of 1802.

Another Poplar, of the fame species, planted in the same Garden, in March, 1801, had about ten scet cut off its head, after two years' growth, at eight feet and a quarter high, to prevent its damaging some shrubs; after which, it produced three branches, which now form as many diffind heads, at the above height; the least of which is twenty seet long. The Girt of the Trunk is twenty-four inches.—The situation of this Garden is rather clevated, the soil Light and DRY.

Another Poplar (of the common white species, or what is called in some places, the White Willow,) growing on the banks of the river Calder, near Wakefield Mills, planted fourteen years ago, being then about the size of a common walking cane, is now of the following dimensions.

The Height fifty-feven feet.

Average Circumference, to eight feet high, fixty-four inches. Ditto ditto from eight to twenty ditto, forty-eight ditto.

From the trunk, at eight feet high, it has fent out an arm or branch, which is twenty-four inches in circumference and about thirty-five feet long; the whole containing not less than THIRTY CUBIC FEET OF TIMBER.

Though all the above may be confidered as aflonishing inflances of quick growth, the last gives the clearest result; as having come to an age and size in which trees, of this description, may be said to feed in trunk, rather than expend their strength in top.——A scale of progressive increase would certainly state the produce of the last year at not less than six or seven feet of timber.——The history of this tree is as singular as its increase is associations.—It was sound sloating in the river!

INDEX.

ABELE, the Properties of, *79.
Floors of, at Sheffield-Place, *80.
a good Substitute for Maliogany, *80.
Autumn, the best general Scason for making
Holes, 162.
Authors, erroneous Opinions of, 28.
confider Firs as only fit to nurse other
Trees, 28.
Author, erroneous Opinion of one, 56.
himfelf, formerly prejudiced against
Firs, 31.
offers to furnish Plants of the Black
Italian Poplar, *79.—Note.
Ash, the proper Soils for, 100.
Ash, the Mountain, a bad Nurse, 60.
Beech, the proper Soils for, 103.
Birch, method of treatment as Nurfes, 153.
Breaks, in Plantations, effects of, 89—185.
Chefnut, the Spanish, the proper Soils for, 103.
grows well on poor Sands, 104Note
FF

Fired Prene pe. 196.

Cepense of planting - pa. 1/5 .-

Chalk Soils, method of filling up Plantations, on, 153.

Drought, method of preventing the effects of,

Chief Trees - proper for frees - 163. 123. - Defigners, what their proper Qualifications, 186.

Exposure, its Confequences to Plants, 128.

Elm, the Witch, or Scotch, its properties, 65.

— the proper Soils for, 101.

Elm, a new and supposed valuable variety, 102.

- English, the proper Soils for, 101.
- the best raised by Grafting, 66.
- Firs, of British Produce, vague Opinions concerning them, 20.
- --- now planted for profit to a large extent, 24.—Note.
- ---- Reasons why we have few large ones, 23.
- --- general Observations on, 30-32.
- ---- Reasons for ascertaining their uses, 53.
- —— American Spruce, Silver, Weymouth Pine, and Pineaster, 63.
- ----- Spruce, general Observations on, 38-48.
- ---- Proofs of its durability, 41.
- --- the best general Shelter, 43, 116.
- ---- the Plants of it dear, and why, 46.
- Scotch, why its Timber often proves of inferior Value, 49.

Firs, Scotch, the fame species as Red Deal, 49.
——— its general properties, 48—56.
—— Soils proper for, 112.
remarkable for not exhausting the Soil,
113.—Note.
—— as a Shelter on Exposures, 55.
Fir Timber, the Ruslian and Swedish method
of preparing for falling, 51.
Heathy Soils, how far improper for deciduous
Trees in general, 56.
——— general Observations on, 127.
—— method of making Holes on, 162.
Heath, Reasons for planting among it, 131.
Holes, the proper fizes of for Trees, 169.
Lands, ufeless for other purposes, proper for
planting, 15.
Larch, never fails to command purchasers, 32.
——— its general properties, 33—37.
inferior to the Scotch Fir as a shelter, 60.
thrives on calcarious Soils, whether light
or stiff, 96.
——— its properties as a Nurfe, 116.
——the proper Soils for, 106.
Observations on its Infect, 107.
Mattock, for making Holes, description of, 177.
its uses, 159—162.
Mix times - better there planting
a quantity of the same
Methor of planting 174.

Enfit - of planting 70. -Cuparation of Soil-16.19.122.171. Where land dengred for partine 74.

Mineral Taint prejudicial to Trees, 99. Nurse Plants, important Observations on, 56. 115. ——— general errors in regard to, 114-120 Oak, the proper Soils for, 100. --- an excellent Soil for, analyzed, 98. — Government's Queries, in regard to, 214. Ornamental Gardeners, theoretical, their works like base Coin, 186. Poplars, the proper Soils for, 106. inflances of their quick growth, 216. ------ Black Italian, its properties, *74. in what respect superior to other Trees, *78. Puddling, the method of, 173. Prejudice, a curious inflance of, 62.—Note. Planting, in mixture, its advantages, 120. thick, Objections to, 163. ----- deep, bad confequences of, 170-175. ------ the best general Season for, 174. new and expeditions method of, 179.
the common method of, 174. Planters, the Tools, description of, 177. —— ufes of, 179. Plants, large ones, why objectional, 167. Soils, deep ones, advantages of, 70. Size - proper for plant 9-166. 180. Le dings - infinior generally 167

She field Place the Saugham 1- 30. Selection of plants ____ 17.95.117.

Stee	ps, the advantages of planting them, 83.
	— method of Holing them, 161.
Sand	ls, Reafons for and against breaking them
	up for planting, 124.
	- fertile in Wood-Produce to a great
	depth, 125.
Soils	s, preparation of, for planting, general Ob-
	fervations on, 122. - Sandy, 125.
	- Heathy, 127—132.
<u></u>	- thin and stiff, 132-144.
	– deep and ftiff, 144.
	- chalky and thin, 147.
	- light and deep, 154
	- light and poor, 156.
	- fmall Patches, generally, 156.
Sea Syc	- rocky, 157—161. Breeze, curious Effects of, 89.—Note. amore, Soils proper for, 105.
	ens, generally mifmanaged, 187.
	improved method of planting, 188.
	their cheapness demonstrates, 193.
	for sheltering Exposures_100.205.
\mathbf{T}_{re}	es, adopting proper fpecies, 94—117.
	- cautions in regard to, 95
	- valuable - will know FE 64.
inn	ing_79.

Trees, deciduous, thrive best among Evergreens,
122.—Note,
- distances proper for, 163 Attender des faces of, what a good one for general pur-
pofes, 165.
bad rooted, require a good Soil, 165.
large ones ditto, 167.
transplanted, why the best, 167.
free growers, the necessity for ascertain-
ing their properties, 38.
naturally produce both Shelter and
Ornament, 181.
extraordinary Effects of, 182-185.
for principals, what a proper Proportion,
115
Tools for planting, description of, 177.
ufes of, 178.
Willow, Huntingdon, its properties, 68.
Upland or Red Twigged, 73.
improved by fteeping in Water, 69.
proper Soils for, 106.
Wood young, most species of inferior value, 117.
of the Larch, and Spruce Fir
highly valuable, 118.
Wood, reason for presenting samples, 212
., cond comon to Incomming ministrol with:

ADVERTISEMENT.

THE Author gives Directions and Defigns in every Department of Ornamental Gardening; and, likewife, Instructions for the Management of Timber Trees generally, as well as the Objects of the present Treatise, in every Part of Great-Britain.

As his prefent Engagements occasion his visiting the Neighbourhood of London twice, annually, Gentlemen in that Quarter, and the Vicinity of the Road, may avail themselves of his Assignance, without being charged with the Expence of the Journey.

Letters addressed to Huddersseld, or to No. 36. St. James's Street, London, will be duly attended to.

Of the Publishers of this Volume may be had,

Written by the fame Author,

A new Edition, with Additions,

OF

THE FOREST PRUNER;

Or, Timber Owner's Affistant:

A Treatife on the Training and Management of BRITISH TIMBER TREES; whether intended for USE, ORNAMENT, or SHELTER: including an Explanation of the Causes of their GENERAL DISEASES and DEFECTS, with the means of PREVENTION, and REMEDIES, where practicable:

Alfo, an Examination of

The Properties of English Fir Timber;
With Remarks on the Old and Outlines of a New System for the
MANAGEMENT of OAK WOODS.

With Eight Explanatory Plates.

The Author thinks himself honoured in being enabled to publish the annexed Documents.

Society of Arts, &c Adelphi.

Sir, London, OA. 30th, 1806.

The Society for the Encouragement of Arts, Manufactures, and

Commerce, have directed me to return you their thanks, for the present of your valuable and useful publication, called the Forest PRUNER.

I have read it with great pleasure, and think it will be productive of

very confiderable advantages to all persons, who follow your instructions.

Your treatife is carefully deposited in the Society's Library, and has met with much attention.

I am,

Sir,

Your obedient fervant,

CHARLES TAYLOR, Sec,

Mr. William Pontey, Huddersfield, Yorkshire.

Extract from the Preface to the 24th Vol. of the Transactions of the Society of Arts, &c page 8, published in Feb. 1807.

"The mischief and damage arising to plantations in general, from a bad system of pruning, or neglect, induced the late public-spirited Duke of Sedford to direct a feries of experiments to be made, at his expence, by W. Pontey, of Hudderssfeld, on his extensive plantations in the neighbourhood of Woburn. Mr. Pontey has shewn great industry and judgment in his selection of specimens, and in the clear detail relative to pruning Forest Trees, which he has communicated in a publication, entitled the Forest Pruner, preferted by him to the Society."

"This fyilem has been purfued by Mr. Salmon, agent to the prefent Duke of Bedford, under his Grace's anfpices, and confirmed by his certificate, as noticed in the prefent volume. We are happy to add it is continuing with fpirit under his Grace's particular protection and at-

tention."



Marchitenia 10 Sept. 1908. fection on an here of truck in 20 ye noting from 5 to be feet whach, asto be the 5° per her £ 250. lest plants at on under len yours with me sold for hop- holes at from to 40? per honoback . Above ten regulath they are collect in Head se duly " for making sheepingales ed neithers for milbheitelings! In snow touch Willows are whe of profitable plants you hope holes. les no wordlings to Asland.





